

PRICELIST 2024 - US




CHRISTINE CACHOT
CONSULTING

TEKNA

FINISHES



DBR - DARK BRONZE




BRP - POLISHED BRASS




BRV - VINTAGE BRASS



BRS - PATINATED DARK BRASS



CRP - POLISHED CHROME



CRM - BRUSHED CHROME




NIP - POLISHED NICKEL



NIM - BRUSHED NICKEL




CPM - COPPER




CTM - CUSTOM COLOR



BRM - SATEEN BRASS








RDB - ROUGH DARK BRONZE



AUX/AUM - GOLD PLATED (18-karat gold - 75%)

All products shown in this catalogue are manufactured according to traditional methods. Please take into consideration that small imperfections may occur. Finishes may differ per batch.



Dark Bronze

Donker brons
Bronze foncé

Polished Chrome

Chroom poli
Chrome poli

Sateen Brass

Brons mat
Bronze matte

Polished Brass

Brons poli
Bronze poli

Brushed Chrome

Chroom mat
Chrome matte

Rough Dark Bronze

Ruw donker brons
Bronze foncé brut

Vintage brass

Mat verouderd brons
Bronze matte obsolète

Polished Nickel

Nikkel poli
Nickel poli

Gold Plated

Verguld
Doré

Patinated Dark Brass

Messing gepolierd
Laiton foncé patiné

Brushed Nickel

Nikkel mat
Nickel matte

Copper

Koper
Cuivre



THE MATERIALS

A. The basic materials most commonly used in the manufacture of our products:

Brass: a golden-brown metal alloy of copper and tin with the addition of zinc. Compared to pure copper, it is much harder, has a lower melting point and is more suitable for casting. This metal alloy is very durable in outdoor settings.

Copper: a metal alloy of pure copper (specific gravity 8.9) and a relatively small amount of zinc (about 10-15%) with a reddish color. Very malleable and more sensitive than brass. Also an excellent metal for outdoor use.

Aluminum: the most common metal element in the earth's crust, with a muted silvery color and very light weight (specific gravity 2.7). Aluminum can be used outdoors only with an anodized finish. Lacquered aluminum can also be used outdoors with proper pretreatment. Untreated aluminum oxidizes when exposed to air or an outdoor environment.

All products shown in this catalogue are manufactured according to traditional methods. Please take into consideration that small imperfections may occur. Finishes may differ per batch.

B. Surface finish of the basic materials

- Polished brass*
- Dark bronze
- Rough dark bronze
- Polished chrome plated brass
- Brushed nickel plated brass
- Brushed chrome plated brass
- Copper
- Satin brass*
- Polished nickel plated brass

Special Finishes: price upon request

- Vintage brass*
 - Patinated dark brass
- * inside use only

C. Interpretation of the materials, with or without SURFACE finish

We warn you against outdoor use of lights in basic (untreated) materials – such as aluminum or copper, brass, iron or steel. All these materials oxidize like iron: rust, other materials such as aluminum or copper, brass, zinc etc. change in color. We recommend not to use lamps with a SURFACE finish as mentioned on article B and indicated with * outdoors, as these finishes demand a lot of maintenance or are not suitable to be used outside. Oxidation is often very decorative, therefore we offer a lot of our lights in an oxidized finish such as dark bronze, although that color can differ from the one in the catalogue or even from a light shown in a showroom or already used outdoors for some time. We can not accept any complaint about these differences because these are due to the character of the material or a typical finish chosen or application of the fitting. Please note that our products are manufactured according to traditional methods and take in consideration that small imperfections may occur.

D. Glass

We also present most of our wall fixtures with clear glass, frosted glass, or opal-effect glass (glass painted white on the inside), and in some cases with true opal glass or in exceptional cases with Plexiglass.

Clear glass is transparent. Frosted glass is obtained by sandblasting clear glass, among other methods. Sandblasting involves spraying the glass with very fine sand under high pressure.

Opal glass: a cloudy white, translucent but non-transparent type of glass obtained by melting glass with bone ash, creolized or the like. Opaline glass is mostly used in the form of a sandwich laminate with clear glass.



ANNET - NAUTIC COLLECTION

TEKNA pricelist 01-01-2024

Prices, products and/or parts can be changed without prior notice. Each order is subject to and governed solely by the terms and conditions of TEKNA. *only inside use.
All prices are quoted in USD (\$ U.S. Dollar - VAT excl.)



PART 1 **TEKNA PRESENTS NAUTIC**

TABLE OF CONTENT
PRICELIST
ACCESSORIES AND SPARES

PART 2 **TEKNA PRESENTS ARTON**

TABLE OF CONTENT
PRICELIST
ACCESSORIES AND SPARES

PART 3 **TEKNA X GIOBAGNARA**

PRICELIST
ACCESSORIES AND SPARES

PART 4 **TEKNA PRESENTS ASTONE**

PRICELIST

PART 5 **TEKNA PRESENTS FLATSPOT**

PRICELIST

TEKNA IN A NUTSHELL

Thanks to Tekna's timeless designs made from robust, high-quality materials, Tekna has been a pioneer in the lighting world since the early 1990s. The seamless finish of our lighting exudes pure quality. This approach is particularly appreciated both at home and abroad. With the Nautic, Arton and Flatspot collections, our brand occupies a particularly large segment of the market because we manufacture both architectural, decorative and designer lighting.

Tekna has a great passion for traditional techniques with a personal touch. Therefore, we are always looking for authentic ideas that can be handmade in Belgium. No luminaire is the same, that is the power of "handmade".

Every design is created with natural materials. Almost 98% of our fixtures are made out of brass. Not only is it a high quality material, it's also a very rewarding and reliable material to work with. You can easily bend it into the desired shape and it can easily withstand all weather conditions. You can also find bronze, aluminum, red copper, marble and glass in our lighting, these noble materials are extremely rewarding and lend themselves perfectly to Tekna's wide range of collections. These robust materials make our brand what it is.

To develop our luminaires, we resolutely opt for one approach: we combine strong, traditional methods with a timeless character. A successful recipe that radiates simplicity, functionality and elegance.

“ With a Tekna community spread all over the world, we want to give the world of lighting a new dimension. ”

About Tekna ...



TEKNA pricelist 01-01-2024

Prices, products and/or parts can be changed without prior notice. Each order is subject to and governed solely by the terms and conditions of TEKNA. *only inside use.
All prices are quoted in USD (\$ U.S. Dollar - VAT excl.)

Sample Box



We proudly present to you our renewed catalog, provided with a new layout and corporate identity.

On request of our customers we have designed a sample box in the same style. The design has a luxurious look with a seamless finish, and contains 14 samples. This gives you the opportunity to easily choose the best materials and colors.

Get creative and create the right look and feel using our samples in your moodboard!

ANK1162

Sample Box

500,00

Net prices*



By great demand of our customers, we have designed a premium cleaning kit. With this cleaning kit you can maintain your fixtures in a qualitative way. Only the very best products have been selected for you, products that we have used ourselves for more than 20 years.



ANK1159

Cleaning Kit

150,00

Net prices*

Cleaning Kit

TEKNA pricelist 01-01-2024

Prices, products and/or parts can be changed without prior notice. Each order is subject to and governed solely by the terms and conditions of TEKNA. *only inside use. All prices are quoted in USD (\$ U.S. Dollar - VAT excl.)

TEKNA pricelist 01-01-2024

Prices, products and/or parts can be changed without prior notice. Each order is subject to and governed solely by the terms and conditions of TEKNA. *only inside use.
All prices are quoted in USD (\$ U.S. Dollar - VAT excl.)

NAUTIC®

TEKNA pricelist 01-01-2024

Prices, products and/or parts can be changed without prior notice. Each order is subject to and governed solely by the terms and conditions of TEKNA. *only inside use.
All prices are quoted in USD (\$ U.S. Dollar - VAT excl.)

NAUTIC - Pricelist 01.01.2024.

All prices are unit prices, exclusive VAT, ex works.

Prices, products and/or parts can be changed without prior notice.

Custom color : prices for minimum quantity of 20 pieces by color- surcharge for custom color products less than 20 pieces : \$ 200,00 NET price.

Lighting fixtures ordered in custom color must be prepaid and are non-refundable.

Each order is subject to and governed solely by the terms and conditions of Tekna.

Please be aware that the photos used are indicative and may differ from the final product.

TEKNA - Stokkelaar 13, B-9160 Lokeren, Belgium - T. +32 9 348 08 02 - E. sales@tekna.be - www.tekna.be



@TEKNA.BE

NAUTIC®

ADMIRAL
ANNET
BLAKES TABLE LAMP
BLAKES TABLE LAMP COLOR
BUTTERFLY 45°
BUTTERFLY 90°
CAPE CORNWALL
CHELSEA SMALL
CHELSEA MEDIUM
CLOVELLY
COD
COD D
COUNTRY
CREED
DOCKLIGHT CEILING
DOCKLIGHT WALL
ESSEX
ESSEX CITY
ESSEX SMALL
FULLHAM
ILFORD
ILFORD LARGE
ILFORD CLOSED TOP
ILFORD LARGE CLOSED TOP
ILFORD FLOOR
ILFORD FLOOR ON FOOT
ILFORD FLOOR ON BATTERY
ILFORD FLOOR LARGE
ILFORD FLOOR LARGE ON BATTERY
ILFORD FLOOR XL
ILFORD WALL
ILFORD WALL LARGE
ILFORD WALL 700
ILFORD WALL XL
LILLEY SPOT
LILLEY SPOT GU10
LILLEY SPOT ON BOX
LILLEY SPOT RECESSED GU10
LILLEY SPOT RECESSED
LILLEY SHADE
LILLEY SHADE ON BOX
LILLEY SHADE RECESSED
LILLEY SPOT TWIN
LILLEY SHADE TWIN
LILLEY SPOT ON RAIL 2
LILLEY SPOT ON RAIL 3
LILLEY SPOT ON RAIL 4
LILLEY SPOT ON RAIL 5
LILLEY SPOT ON RAIL 6
LILLEY SHADE ON RAIL 2
LILLEY SHADE ON RAIL 3
LILLEY SHADE ON RAIL 4
LILLEY SHADE ON RAIL 5
LILLEY SHADE ON RAIL 6
LOOE
MADDOX
MARLOW

MONTROSE CITY
MONTROSE CITY SMALL
MONTROSE FLOOR
MONTROSE SMALL PENDANT
MONTROSE PENDANT
MONTROSE PENDANT LED
MONTROSE PENDANT LARGE
MONTROSE LARGE PENDANT LED
MONTROSE SMALL ON BRACKET
MONTROSE SMALL ON FOOT
MONTROSE WALL
MONTROSE WALL LED
MONTROSE WALL LARGE
MONTROSE WALL LARGE LED
MUSAR 10
PAGODE
PENROSE
PICTURE LIGHT SMALL
PICTURE LIGHT MEDIUM
PORTREATH
QUAY LIGHT 45°
QUAY LIGHT 90°
SPREADERLIGHT 12V
SPREADERLIGHT HOUSENUMBER 12V
SPREADERLIGHT HOUSENUMBER 12V WITH DOORBEL
WILFORD 12V
STEPLIGHT 12V
STIFFKEY
THORN PETE
THORN PETE GRIP
THORN PETE PENDANT
VILLAGE
TUBE CEILING
TUBE HANGING
ILFORD PENDANT

TEKNA pricelist 01-01-2024

Prices, products and/or parts can be changed without prior notice. Each order is subject to and governed solely by the terms and conditions of TEKNA. *only inside use.
All prices are quoted in USD (\$ U.S. Dollar - VAT excl.)




N114U ADMIRAL

Wall lamp in solid brass with clear or frosted glass shade.
 Dimensions: width 123mm - height 259mm - projection 125mm.
 No bulb included, socket type: e26 120V.
 Main power 120V - 60Hz.
 Use: indoor and outdoor (IP44)

The lamp shown in the picture is not included. The unit comes without spotlight or bulb.

This product is manufactured according to traditional methods.
 Please take into consideration that small imperfections may occur.



N114UBRPHG	ADMIRAL polished brass clear glass*	1200,00
N114UBRPMG	ADMIRAL polished brass frosted glass*	1200,00
N114UDBRHG	ADMIRAL dark bronze clear glass	1250,00
N114UDBRMG	ADMIRAL dark bronze frosted glass	1250,00
N114UCRPHG	ADMIRAL polished chrome plated brass clear glass*	1400,00
N114UCRPMG	ADMIRAL polished chrome plated brass frosted glass*	1400,00
N114UCRMHG	ADMIRAL brushed chrome plated brass clear glass	1400,00
N114UCRMMG	ADMIRAL brushed chrome plated brass frosted glass	1400,00
N114UNIPHG	ADMIRAL polished nickel plated brass clear glass*	1400,00
N114UNIPMG	ADMIRAL polished nickel plated brass frosted glass*	1400,00
N114UNIMHG	ADMIRAL brushed nickel plated brass clear glass*	1400,00
N114UNIMMG	ADMIRAL brushed nickel plated brass frosted glass*	1400,00

ACCESSORIES AND SPARES

G044	Admiral clear glass globe	100,00
G043	Admiral frosted glass globe	150,00



N113U ANNET

Wall lamp in brass with outside fitted clear or frosted glass. Spring closure.
 Dimensions: width 133mm - height 357mm - projection 140mm.
 LED Rustica clear glass e26 120V 6W 2200K included.
 Main power 120V - 60Hz.
 Use: indoor and outdoor (IP44)



	<u>ORIGINAL</u>	
N113UDBRL002HG	ANNET dark bronze clear glass	1150,00
N113UDBRL002MG	ANNET dark bronze frosted glass	1150,00



	<u>GAUZE</u>	
N113UDBRL002GD1	ANNET GAUZE dark bronze clear glass	1550,00

	<u>MESH</u>	
N113UDBRL002MD1	ANNET MESH dark bronze clear glass	2000,00

ACCESSORIES AND SPARES

L002	LED Rustica clear glass e26 120V 6W 2200K	100,00
------	---	--------

GAUZE

Woven metal gauze at the inside of the light fitting



MESH

Brass plaiting at the inside of the light fitting



N024U BLAKES TABLE LAMP

Table lamp in lacquered brass with inside fitted clear glass.
 Supplied with rechargeable Li-ion battery, good for a life span of 7 hours after full recharge (2h).
 Dimensions: width 140x140mm- height 280mm.
 High Power LED 2700K/3000K - CRI 95 - 2W. LED driver and charger included.
 Main power 120V/240V 50/60Hz.
 Use: indoor and outdoor (IP43, not suitable for rainfall)

High Power LED - 2700K - CRI 95 - 2W

N024UDBRL24HGUL	BLAKES TABLE LAMP - 2700K lacquered in dark bronze clear glass	1450,00
N024UDBRL24MGUL	BLAKES TABLE LAMP - 2700K lacquered in dark bronze frosted glass	1450,00
N024UDBRL24RGUL	BLAKES TABLE LAMP - 2700K lacquered in dark bronze Rivuletta glass	1550,00

High Power LED - 3000K - CRI 95 - 2W

N024UDBRL18HGUL	BLAKES TABLE LAMP - 3000K lacquered in dark bronze clear glass	1450,00
N024UDBRL18MGUL	BLAKES TABLE LAMP - 3000K lacquered in dark bronze frosted glass	1450,00
N024UDBRL18RGUL	BLAKES TABLE LAMP - 3000K lacquered in dark bronze Rivuletta glass	1550,00

ACCESSORIES AND SPARES

ANK0092	Blakes Table Lamp AC adapter charger	100,00
ANK0095	Blakes Table Lamp Plug US	50,00



N025U BLAKES TABLE LAMP COLOR

Table lamp in lacquered brass with inside fitted clear glass.
 Supplied with rechargeable Li-ion battery, good for a life span of 7 hours after full recharge (2h).
 Dimensions: width 140x140mm- height 280mm.
 High Power LED 3000K - CRI 95 - 2W. LED driver and charger included.
 Main power 120V/240V 50/60Hz.
 Use: indoor and outdoor (IP43, not suitable for rainfall)

High Power LED - 2700K - CRI 95 - 2W

N025UZWTL24HGUL	BLAKES TABLE LAMP - 2700K lacquered Jet Black	1750,00
N025UKNRL24HGUL	BLAKES TABLE LAMP - 2700K lacquered Kenia Red	1750,00
N025UOGRL24HGUL	BLAKES TABLE LAMP - 2700K lacquered Orange Rust	1750,00
N025UMZEL24HGUL	BLAKES TABLE LAMP - 2700K lacquered Maize	1750,00
N025UBTGL24HGUL	BLAKES TABLE LAMP - 2700K lacquered Bottle Green	1750,00
N025UCTQL24HGUL	BLAKES TABLE LAMP - 2700K lacquered Chinese Turquoise	1750,00
N025URBLL24HGUL	BLAKES TABLE LAMP - 2700K lacquered Royal blue	1750,00
N025UFL24RGHGUL	BLAKES TABLE LAMP - 2700K lacquered French Grey	1750,00
N025UCTML24HGUL	BLAKES TABLE LAMP - 2700K lacquered Custom Color	1900,00

High Power LED - 3000K - CRI 95 - 2W

N025UZWTL18HGUL	BLAKES TABLE LAMP - 3000K lacquered Jet Black	1750,00
N025UKNRL18HGUL	BLAKES TABLE LAMP - 3000K lacquered Kenia Red	1750,00
N025UOGRL18HGUL	BLAKES TABLE LAMP - 3000K lacquered Orange Rust	1750,00
N025UMZEL18HGUL	BLAKES TABLE LAMP - 3000K lacquered Maize	1750,00
N025UBTGL18HGUL	BLAKES TABLE LAMP - 3000K lacquered Bottle Green	1750,00
N025UCTQL18HGUL	BLAKES TABLE LAMP - 3000K lacquered Chinese Turquoise	1750,00
N025URBLL18HGUL	BLAKES TABLE LAMP - 3000K lacquered Royal blue	1750,00
N025UFRGL18HGUL	BLAKES TABLE LAMP - 3000K lacquered French Grey	1750,00
N025UCTML18HGUL	BLAKES TABLE LAMP - 3000K lacquered Custom Color	1900,00

ACCESSORIES AND SPARES

ANK0092	Blakes Table Lamp AC adapter charger	100,00
ANK0095	Blakes Table Lamp Plug US	50,00



N081U BUTTERFLY 45°

Wall lamp in copper with 45° arm, reflector and clear or frosted glass.
 Dimensions: width 176mm - height 234mm - projection 440mm.
 No bulb included, socket type: e26 120V.
 Use: outdoor (IP44)

The lamp shown in the picture is not included. The unit comes without spotlight or bulb.

*This product is manufactured according to traditional methods.
 Please take into consideration that small imperfections may occur.*



N081UCPM45°HG	BUTTERFLY 45° copper clear glass	1300,00
N081UCPM45°MG	BUTTERFLY 45° copper frosted glass	1300,00



	<u>ACCESSORIES AND SPARES</u>	
G044	Butterfly clear glass globe	100,00
G043	Butterfly frosted glass globe	150,00



N081U BUTTERFLY 90°

Wall lamp in copper with 90° arm, reflector and clear or frosted glass.
 Dimensions: width 176mm - height 352mm - projection 231mm.
 No bulb included, socket type: e26 120V.
 Use: outdoor (IP44)

The lamp shown in the picture is not included. The unit comes without spotlight or bulb.

*This product is manufactured according to traditional methods.
 Please take into consideration that small imperfections may occur.*



N081UCPM90°HG	BUTTERFLY 90° copper clear glass	1300,00
N081UCPM90°MG	BUTTERFLY 90° copper frosted glass	1300,00




	<u>ACCESSORIES AND SPARES</u>	
G044	Butterfly clear glass globe	100,00
G043	Butterfly frosted glass globe	150,00



N098U CAPE CORNWALL

Wall or ceiling light in brass, with cross-shaped grid and frosted glass.
 Dimensions: Ø 240mm - projection 125mm.
 No bulb included, socket type: e26 120V.
 The device comes without wiring - this must be done during installation to ensure waterproofing (IP54).
 Main power 120V - 60Hz.
 Use: indoor and outdoor (IP54)

The lamp shown in the picture is not included. The unit comes without spotlight or bulb.



N098UBRPMG	CAPE CORNWALL polished brass*	600,00
N098UDBRMG	CAPE CORNWALL dark bronze	750,00
N098UCRMMG	CAPE CORNWALL brushed chrome plated brass	800,00



N002U CHELSEA SMALL

Ceiling light in brass with outside fitted clear or frosted glass and spring closure.
 Dimensions: width 234x234mm - height 125mm.
 No bulb included, socket type: e26 120V.
 Use: indoor (IP40)

The lamp shown in the picture is not included. The unit comes without spotlight or bulb.



N002UDBRHG	CHELSEA SMALL dark bronze clear glass	1200,00
N002UDBRMG	CHELSEA SMALL dark bronze frosted glass	1200,00



N003U CHELSEA MEDIUM

Ceiling light in brass with outside fitted clear or frosted glass and spring closure.
 Dimensions: width 294x294mm - height 145mm.
 No bulb included, socket type: e26 120V.
 Use: indoor (IP40)

The lamp shown in the picture is not included. The unit comes without spotlight or bulb.



N003UDBRHG	CHELSEA MEDIUM dark bronze clear glass	1250,00
N003UDBRMG	CHELSEA MEDIUM dark bronze frosted glass	1200,00

2 LED bulbs

N003UDBRDHG	CHELSEA MEDIUM (2 LED bulbs) dark bronze clear glass	1650,00
N003UDBRDMG	CHELSEA MEDIUM (2 LED bulbs) dark bronze frosted glass	1650,00



N111U CLOVELLY

Wall lamp in brass, with curved arm and opal spherical glass.
 Dimensions: Ø glass 140mm - height 255mm - projection 380mm.
 No bulb included, socket type: e26 120V.
The lamp shown in the picture is not included. The unit comes without spotlight or bulb.
 Use: indoor (IP42)



N111UBRPMG	CLOVELLY polished brass	750,00
N111UCRPMG	CLOVELLY polished chrome plated brass	850,00
N111UCRMMG	CLOVELLY brushed chrome plated brass	850,00
N111UNIPMG	CLOVELLY polished nickel plated brass	850,00
N111UNIMMG	CLOVELLY brushed nickel plated brass	850,00

	<u>ACCESSORIES AND SPARES</u>	
G037	Clovelly opal glass	55,00



N126U COD

Lampholder for wall or ceiling in brass with hidden attachment, and lampholder E27 VS LCP T270.
 Dimensions: ceiling plate Ø 100.5mm - height (less lamp) 98mm - total height 185mm.
 Lamp LED Rustica clear glass e26 120V 6W 2200K
 Use: indoor (IP20)



N126UDBRL002	COD dark bronze	450,00
N126UBRML002	COD sateen brass	450,00
N126UCRPL002	COD polished chrome plated brass	550,00
N126UCRML002	COD brushed chrome plated brass	550,00
N126UNIPL002	COD polished nickel plated brass	550,00
N126UNIML002	COD brushed nickel plated brass	550,00

	<u>ACCESSORIES AND SPARES</u>	
L002	LED Rustica clear glass e26 120V 6W 2200K	100,00



N127U COD D

Lampholder for ceiling in lacquered aluminium with hidden attachment and lampholder E27 VS LCP T270.
 Dimensions: ceiling plate Ø 104mm - height (less lamp) 83mm - total height 192mm.
 Lamp LED Rustica clear glass e26 120V 6W 2200K
 Use: indoor (IP20)



N127UZWTL002	COD D lacquered black	450,00
N127UWITL002	COD D lacquered white	450,00
N127UBRLL002	COD D lacquered bronze	450,00
N127UCTML002	COD D lacquered custom color	550,00

	<u>ACCESSORIES AND SPARES</u>	
L002	LED Rustica clear glass e26 120V 6W 2200K	100,00



N079U COUNTRY

Post light in lacquered dark bronze with 'Steplight' in brass.
 With removable back panel for anchoring and electrical connection.
 Dimensions: width 155mm - height 305mm - depth 80mm.
 Use: outdoor (electronics IP65)



N079UDBR	COUNTRY	850,00
	<u>ACCESSORIES AND SPARES</u>	
G010	Country clear Ribbed glass	100,00
NA015	Country ground socket in stainless steel for straight mounting	150,00
NA032	Country gasket	100,00



N125U CREED

Post light in stainless steel in lacquered dark bronze with insert in massive brass.
 With removable back panel for anchoring and electrical connection.
 LED line 3,6W 2700K 400lm CRI 92 with integrated driver included (not dimmable).
 Dimensions: width 155mm - height 305mm - depth 80mm.
 Main power 120V - 60Hz.
 Use: outdoor (IP54)



N125UDBR	CREED lacquered dark bronze with insert in massive brass	1150,00
N125UDBR	CREED lacquered dark bronze with insert in dark bronze	1150,00
	<u>ACCESSORIES AND SPARES</u>	
NA015	Creed ground socket in stainless steel for straight mounting	150,00



N011U DOCKLIGHT CEILING

Ceiling light in solid brass with clear glass.
 Dimensions: width 125mm - height 198mm.
 No bulb included, socket type: e26 120V.
 Main power 120V - 60Hz.
 Use: indoor and outdoor (IP44)

The lamp shown in the picture is not included. The unit comes without spotlight or bulb.



N011UBRPHG	DOCKLIGHT CEILING polished brass clear glass*	950,00
N011UBRPMG	DOCKLIGHT CEILING polished brass frosted glass*	950,00
N011UDBRHG	DOCKLIGHT CEILING dark bronze clear glass	1000,00
N011UDBRMG	DOCKLIGHT CEILING dark bronze frosted glass	1000,00
N011UCRPHG	DOCKLIGHT CEILING polished chrome plated brass clear glass*	1100,00
N011UCRPMG	DOCKLIGHT CEILING polished chrome plated brass frosted glass*	1100,00
N011UCRMHG	DOCKLIGHT CEILING brushed chrome plated brass clear glass	1100,00
N011UCRMMG	DOCKLIGHT CEILING brushed chrome plated brass frosted glass	1100,00
N011UNIPHG	DOCKLIGHT CEILING polished nickel plated brass clear glass*	1100,00
N011UNIPMG	DOCKLIGHT CEILING polished nickel plated brass frosted glass*	1100,00
N011UNIMHG	DOCKLIGHT CEILING brushed nickel plated brass clear glass*	1100,00
N011UNIMMG	DOCKLIGHT CEILING brushed nickel plated brass frosted glass*	1100,00

ACCESSORIES AND SPARES

G044	Docklight clear glass globe	100,00
G043	Docklight frosted glass globe	150,00



N010U DOCKLIGHT WALL

Wall lamp in solid brass with clear glass.
 Dimensions: width 101mm - height 291mm - projection 130mm.
 No bulb included, socket type: e26 120V.
 Main power 120V - 60Hz.
 Use: indoor and outdoor (IP44)

The lamp shown in the picture is not included. The unit comes without spotlight or bulb.



N010UBRPHG	DOCKLIGHT WALL polished brass clear glass*	1100,00
N010UBRPMG	DOCKLIGHT WALL polished brass frosted glass*	1050,00
N010UDBRHG	DOCKLIGHT WALL dark bronze clear glass	1100,00
N010UDBRMG	DOCKLIGHT WALL dark bronze frosted glass	1100,00
N010UCRPHG	DOCKLIGHT WALL polished chrome plated brass clear glass*	1080,00
N010UCRPMG	DOCKLIGHT WALL polished chrome plated brass frosted glass*	1150,00
N010UCRMHG	DOCKLIGHT WALL brushed chrome plated brass clear glass	1150,00
N010UCRMMG	DOCKLIGHT WALL brushed chrome plated brass frosted glass	1150,00
N010UNIPHG	DOCKLIGHT WALL polished nickel plated brass clear glass*	1150,00
N010UNIPMG	DOCKLIGHT WALL polished nickel plated brass frosted glass*	1150,00
N010UNIMHG	DOCKLIGHT WALL brushed nickel plated brass clear glass*	1150,00
N010UNIMMG	DOCKLIGHT WALL brushed nickel plated brass frosted glass*	1150,00


ACCESSORIES AND SPARES

G044	Docklight clear glass globe	100,00
G043	Docklight frosted glass globe	150,00




N094U ESSEX

Wall lamp in brass or lacquered in color, with outside fitted clear glass and spring closure.
 Dimensions: width 216mm - height 357mm - projection 140mm.
 LED Rustica clear glass e26 120V 6W 2200K included.
 Main power 120V - 60Hz.
 Use: indoor and outdoor (IP44)




COLOR

Lacquered brass in color with outside fitted clear or frosted glass and spring closure



ORIGINAL

Dark bronze with white painted backplate and outside fitted clear glass



GAUZE

Woven metal gauze at the inside of the light fitting (clear glass)



MESH

Brass plaiting at the inside of the light fitting. (clear glass)

		<u>STANDARD</u>	
N094UDBRL002HG		ESSEX dark bronze clear glass	1200,00
N094UDBRL002MG		ESSEX dark bronze frosted glass	1200,00
		<u>COLOR</u>	
N094UZWTL002HG		ESSEX COLOR Jet Black	1850,00
N094UKNRL002HG		ESSEX COLOR Kenia Red	1850,00
N094UOGRL002HG		ESSEX COLOR Orange Rust	1850,00
N094UMZEL002HG		ESSEX COLOR Maize	1850,00
N094UBTGL002HG		ESSEX COLOR Bottle Green	1850,00
N094UCTQL002HG		ESSEX COLOR Chinese Turquoise	1850,00
N094URBLL002HG		ESSEX COLOR Royal Blue	1850,00
N094UFRGL002HG		ESSEX COLOR French Grey	1850,00
N094UCTML002HG		ESSEX COLOR Custom Color	2050,00
		<u>ORIGINAL</u>	
N094UORIL002HG		ESSEX ORIGINAL dark bronze/white clear glass	1400,00
		<u>GAUZE</u>	
N094UDBRL002GD1		ESSEX GAUZE dark bronze clear glass	1600,00
		<u>MESH</u>	
N094UDBRL002MD1		ESSEX MESH dark bronze clear glass	2200,00
		<u>ACCESSORIES AND SPARES</u>	
L002		LED Rustica clear glass e26 120V 6W 2200K	100,00



N096U ESSEX CITY


Wall lamp in brass with outside fitted clear glass and spring closure.
 Dimensions: width 265mm - height 415mm - projection 185mm.
 2 x LED Rustica clear glass e26 120V 6W 2200K included.
 Main power 120V - 60Hz. Main power 120V - 60Hz.

Use: indoor and outdoor (IP44)



N096UDBRL002HG ESSEX CITY dark bronze clear glass 2000,00

L002 ACCESSORIES AND SPARES
 LED Rustica clear glass e26 120V 6W 2200K 100,00



N097U ESSEX SMALL

Wall lamp in brass with outside fitted clear glass and spring closure.
 Dimensions: width 201mm - height 286mm - projection 119mm.
 No bulb included, socket type: e26.
 Main power 120V 60Hz.
 Use: indoor and outdoor (IP44)

It's possible to customize the standard included LED bulb with the available options.



N097UDBRL38HG ESSEX SMALL dark bronze clear glass 1200,00

N097UDBRL38MG ESSEX SMALL dark bronze frosted glass 1200,00



N165U FULLHAM

Wall lamp with decorative details on top and bottom in dark bronze,
 with outside fitted clear glass and spring closure.
 Dimensions: width 332mm - height 425mm - projection 200mm.
 2 x LED Rustica clear glass e26 120V 6W 2200K included.
 Main power 120V - 60Hz. Main power 120V - 60Hz.

Use: indoor and outdoor (IP44)



N165UDBRL002HG FULLHAM dark bronze clear glass 3000,00

L002 ACCESSORIES AND SPARES
 LED Rustica clear glass e26 120V 6W 2200K 100,00



N099U ILFORD

Pendant light in dark bronze with outside fitted clear glass.
 Dimensions: width 252x252mm - height 446mm.
 LED Rustica clear glass e26 120V 6W 2200K included.
 Main power 120V - 60Hz. Use: indoor (IP20)

Rods and ceiling plates must be ordered separately, they are not included.



N099UDBRL002HG ILFORD dark bronze clear glass 1200,00

L002 ACCESSORIES AND SPARES
 LED Rustica clear glass e26 120V 6W 2200K 100,00

NA008 Pavilion ceiling plate in dark bronze Ø 10mm 700mm 100,00

NA013 Tube with hook and eyelet in dark bronze L.600mm Ø 10mm 100,00

NA014 Tube with hook and eyelet in dark bronze L.1200mm Ø 10mm 150,00



N100U ILFORD LARGE

Pendant light in dark bronze with outside fitted clear glass and 4-arm lampholder.
 Dimensions: width 395x395mm - height 587mm.
 4 x LED Rustica clear glass e26 120V 6W 2200K included.
 Main power 120V - 60Hz.
 Use: indoor (IP20)

Rods and ceiling plates must be ordered separately, they are not included.



N100UDBRL002HG	ILFORD LARGE dark bronze clear glass	2450,00
	<u>ACCESSORIES AND SPARES</u>	
L002	LED Rustica clear glass e26 120V 6W 2200K	100,00
NA008	Pavilion ceiling plate in dark bronze Ø 10mm 700mm	100,00
NA013	Tube with hook and eyelet in dark bronze L.600mm Ø 10mm	100,00
NA014	Tube with hook and eyelet in dark bronze L.1200mm Ø 10mm	150,00



N101U ILFORD CLOSED TOP

Pendant light in dark bronze with outside fitted clear glass, closed top.
 Dimensions: width 252x252mm - height 446mm.
 LED Rustica clear glass e26 120V 6W 2200K included.
 Main power 120V - 60Hz.
 Use: outdoor (IP44)

Rods and ceiling plates must be ordered separately, they are not included.



N101UDBRL002HG	ILFORD CLOSED TOP dark bronze clear glass	1400,00
	<u>ACCESSORIES AND SPARES</u>	
L002	LED Rustica clear glass e26 120V 6W 2200K	100,00
NA009	Pavilion ceiling plate in dark bronze Ø 1/2"	100,00
NA023	Tube in dark bronze L.600mm Ø 1/2"	150,00
NA024	Tube in dark bronze L.1200mm Ø 1/2"	150,00



N102U ILFORD LARGE CLOSED TOP

Pendant light in dark bronze with outside fitted clear glass, closed top.
 Dimensions: width 395x395mm - height 587mm.
 4 x LED Rustica clear glass e26 120V 6W 2200K included.
 Main power 120V - 60Hz.
 Use: outdoor (IP44)

Rods and ceiling plates must be ordered separately, they are not included.



N102UDBRL002HG	ILFORD LARGE CLOSED TOP dark bronze clear glass	2800,00
	<u>ACCESSORIES AND SPARES</u>	
L002	LED Rustica clear glass e26 120V 6W 2200K	100,00
NA009	Pavilion ceiling plate in dark bronze Ø 1/2"	100,00
NA023	Tube in dark bronze L.600mm Ø 1/2"	150,00
NA024	Tube in dark bronze L.1200mm Ø 1/2"	150,00



N103U ILFORD FLOOR

Floor lamp in dark bronze with outside fitted clear safety-glass.
 5 meter cable H05RNF with plug. Dimensions: width 252x252mm - height 480mm.
 High Power LED 6.2W - 2700K - CRI 85 (not dimmable).
 With LED driver.
 Main power 120V/240V 50/60Hz.
 Use: outdoor (IP44)



N103UDBRL24HGUL	ILFORD FLOOR - 2700K dark bronze clear glass	2250,00
N103UDBRL18HGUL	ILFORD FLOOR - 3000K dark bronze clear glass	2250,00
N103UDBRL24RGUL	ILFORD FLOOR - 2700K dark bronze ribbed glass	2600,00
N103UDBRL18RGUL	ILFORD FLOOR - 3000K dark bronze ribbed glass	2600,00



N103FOOTU ILFORD FLOOR ON FOOT

Ilford Floor in dark bronze on foot with outside fitted clear safety-glass.
 5 meter cable H05RNF with plug. Dimensions: width 255x255mm - height 582mm.
 High Power LED 6.2W - 2700K - CRI 85 (not dimmable).
 With LED driver.
 Main power 120V/240V 50/60Hz.
 Use: outdoor (IP44)



N103FOOTUDBRL24H	ILFORD FLOOR ON FOOT - 2700K dark bronze clear glass	1950,00
N103FOOTUDBRL18HG	ILFORD FLOOR ON FOOT - 3000K dark bronze clear glass	1950,00



N105U ILFORD FLOOR ON BATTERY

Floor lamp in dark bronze with outside fitted clear safety-glass,
 supplied with rechargeable Li-ion battery at the top, good for a life span of 11 hours after full recharge (6-8h).
 Dimensions: width 252x252mm - height 480mm.
 High Power LED 6.2W - 2700K - CRI 85 (not dimmable).
 With LED driver and charger.
 Main power 120V/240V 50/60Hz.
 Use: outdoor (IP44)



N105UDBRL24HGUL	ILFORD FLOOR ON BATTERY - 2700K dark bronze clear glass	2600,00
N105UDBRL18HGUL	ILFORD FLOOR ON BATTERY - 3000K dark bronze clear glass	2600,00
N105UDBRL24RGUL	ILFORD FLOOR - 2700K dark bronze ribbed glass	2800,00
N105UDBRL18RGUL	ILFORD FLOOR - 3000K dark bronze ribbed glass	2800,00

ACCESSORIES AND SPARES

ANK0092	Ilford Floor AC adapter charger	100,00
ANK0095	Ilford Floor Plug US	50,00



N104U ILFORD FLOOR LARGE

Floor lamp in dark bronze with outside fitted clear safety-glass.
 5 meter cable H05RNF with plug. Dimensions: width 315x315mm - height 540mm.
 High Power LED 6.2W - 2700K - CRI 85 (not dimmable).
 With LED driver.
 Main power 120V/240V 50/60Hz.
 Use: outdoor (IP44)



N104UDBRHGUL	ILFORD FLOOR LARGE - 2700K dark bronze clear glass	2400,00
N104UDBRHGUL	ILFORD FLOOR LARGE - 3000K dark bronze clear glass	2400,00
N104UDBRRGUL	ILFORD FLOOR - 2700K dark bronze ribbed glass	2850,00
N104UDBRRGUL	ILFORD FLOOR - 3000K dark bronze ribbed glass	2850,00
N104DBRHGUL	ILFORD FLOOR LARGE ON 120V dark bronze clear glass (CANDLE COVER No bulb included, socket type: e26)	2650,00



N106U ILFORD FLOOR LARGE ON BATTERY

Floor lamp in dark bronze with outside fitted clear safety-glass, supplied with rechargeable Li-ion battery at the top, good for a life span of 11 hours after full recharge (6-8h).
 Dimensions: width 315x315mm - height 540mm.
 High Power LED 6.2W - 2700K - CRI 85 (not dimmable). With LED driver and charger.
 Main power 120V/240V 50/60Hz.
 Use: outdoor (IP44)



N106UDBRL24HGUL	ILFORD FLOOR LARGE ON BATTERY - 2700K dark bronze clear glass	3000,00
N106UDBRL18HGUL	ILFORD FLOOR LARGE ON BATTERY - 3000K dark bronze clear glass	3000,00
N106UDBRL24RGUL	ILFORD FLOOR - 2700K dark bronze ribbed glass	3450,00
N106UDBRL18RGUL	ILFORD FLOOR - 3000K dark bronze ribbed glass	3450,00

ACCESSORIES AND SPARES

ANK0092	Ilford Floor AC adapter charger	100,00
ANK0095	Ilford Floor Plug US	50,00



N008U ILFORD FLOOR XL

Floor lamp in dark bronze with outside fitted clear glass,
 5 meter cable H05RNF and plug.
 Dimensions: width 252x252mm - height 735mm.
 High Power LED 6.2W - 2700K - CRI 85 (not dimmable). With LED driver.
 Main power 120V/240V 50/60Hz.
 Use: outdoor (IP44)
 Fixation to the ground for outdoor use.



N008UDBRL24HGUL	ILFORD FLOOR XL - 2700K dark bronze clear glass	2750,00
N008UDBRL18HGUL	ILFORD FLOOR XL - 3000K dark bronze clear glass	2750,00
N008UDBRL24RGUL	ILFORD FLOOR XL - 2700K dark bronze ribbed glass	3150,00
N008UDBRL18RGUL	ILFORD FLOOR XL - 3000K dark bronze ribbed glass	3150,00



Werte &
Lohn & Be
Phum M
Lohn & Be
Lohn & Be



N109U ILFORD WALL

Wall lamp in dark bronze with outside fitted clear or frosted glass, closed top and open bottom.
 Wall bracket in lacquered bronze stainless steel with cable transit.
 Dimensions: width 252mm - height 506mm - projection 344mm.
 LED Rustica clear glass e26 120V 6W 2200K included.
 Main power 120V - 60Hz.
 Use: outdoor (IP44)

N109UDBRL002HG	ILFORD WALL dark bronze clear glass	1800,00
N109UDBRL002MG	ILFORD WALL dark bronze frosted glass	1800,00

	<u>ACCESSORIES AND SPARES</u>	
L002	LED Rustica clear glass e26 120V 6W 2200K	100,00



N110U ILFORD WALL LARGE

Wall lamp in dark bronze with outside fitted clear or frosted glass, closed top and open bottom.
 With 4-arm lampholder. Wall bracket in lacquered bronze stainless steel with cable transit.
 Dimensions: width 395mm - height 715mm - projection 503mm.
 4 x LED Rustica clear glass e26 120V 6W 2200K included.
 Main power 120V - 60Hz.
 Use: outdoor (IP44)

N110UDBRL002HG	ILFORD WALL LARGE dark bronze clear glass	3850,00
N110UDBRL002MG	ILFORD WALL LARGE dark bronze frosted glass	3850,00

	<u>ACCESSORIES AND SPARES</u>	
L002	LED Rustica clear glass e26 120V 6W 2200K	100,00



N004U ILFORD WALL ON BRACKET 700

Wall lamp in dark bronze with outside fitted clear glass, closed top and open bottom.
 Wall bracket in lacquered bronze stainless steel.
 Dimensions: width 250mm - height 868mm - projection 430mm.
 LED Rustica clear glass e26 120V 6W 2200K included.
 Main power 120V - 60Hz.
 Use: outdoor (IP44)

N004UDBRL002HG	ILFORD WALL ON BRACKET 700 dark bronze clear glass	3300,00
----------------	--	---------

	<u>ACCESSORIES AND SPARES</u>	
L002	LED Rustica clear glass e26 120V 6W 2200K	100,00



N009U ILFORD WALL XL

Wall lamp in dark bronze with inside fitted PMMA (3 sides), removable backplate, closed top and bottom.
 2 wall brackets and wallplate in lacquered bronze aluminium.
 Dimensions: width 255mm - height 1200mm - projection 330mm.
 6 x Fortimo LED strip 3000K CRI 80 1100lm, standard set on the minimum value 967lm.
 Main power 120V 60Hz.
 Use: outdoor (IP43)

N009DBRL31PMA	ILFORD WALL XL dark bronze PMMA	53000,00
---------------	---------------------------------	----------



N032U LILLEY SPOT

Spot light , 350° turnable, 90° adjustable, with lampholder B15d.
 No lamp included, socket type: B15d.
 Dimensions: width 66mm (Ø ceiling plate) - height max 160mm.
 Main power 120V - 60Hz.
 Use: indoor (IP20)

The lamp shown in the picture is not included. The unit comes without spotlight or bulb.




N032UDBR	LILLEY SPOT - dark bronze	300,00
N032UCRP	LILLEY SPOT - polished chrome plated brass	350,00
N032UCRM	LILLEY SPOT - brushed chrome plated brass	350,00
N032UNIP	LILLEY SPOT - polished nickel plated brass	350,00
N032UNIM	LILLEY SPOT - brushed nickel plated brass	350,00



<u>ACCESSORIES AND SPARES</u>		
NA001	Halo ring dark bronze	100,00
NA002	Halo ring polished chrome	100,00
NA049	Halo ring brushed chrome	100,00
NA003	Halo ring brushed nickel	100,00
NA004	Halo ring polished nickel	100,00

HALO RING

Screen for Lilley Spot Led in brushed nickel



HALO RING

Screen for Lilley Spot Led in dark bronze



N034U LILLEY SPOT GU10

Spot light , 350° turnable, 90° adjustable, with lampholder GU10.
 Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36° included.
 Dimensions: width 66mm (Ø ceiling plate) - height max 172mm.
 Main power 120V - 60Hz.
 Use: indoor (IP20)

It's possible to customize the standard included LED spot with the available options.



N034UDBR191	LILLEY SPOT - GU10 LED dark bronze - with lamp	300,00
N034UCRP191	LILLEY SPOT - GU10 LED polished chrome plated brass - with lamp	350,00
N034UCRM191	LILLEY SPOT - GU10 LED brushed chrome plated brass - with lamp	350,00
N034UNIP191	LILLEY SPOT - GU10 LED polished nickel plated brass - with lamp	350,00
N034UNIM191	LILLEY SPOT - GU10 LED brushed nickel plated brass - with lamp	350,00

<u>ACCESSORIES AND SPARES</u>		
L191	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36°	150,00
L192	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 25°	150,00



N035U LILLEY SPOT ON BOX

Spot light , 350° turnable, 90° adjustable, with lampholder B15d.
 No lamp included, socket type: B15d.
 Dimensions: width 90mm (Ø transfobox) - height max 185mm.
 Main power 120V - 60Hz.
 Use: indoor (IP20)

The lamp shown in the picture is not included. The unit comes without spotlight or bulb.



N035UDBR	LILLEY SPOT ON BOX - dark bronze	400,00
N035UCRP	LILLEY SPOT ON BOX - polished chrome plated brass	400,00
N035UCRM	LILLEY SPOT ON BOX - brushed chrome plated brass	400,00
N035UNIP	LILLEY SPOT ON BOX - polished nickel plated brass	400,00
N035UNIM	LILLEY SPOT ON BOX - brushed nickel plated brass	400,00

ACCESSORIES AND SPARES

NA001	Halo ring dark bronze	100,00
NA002	Halo ring polished chrome	100,00
NA049	Halo ring brushed chrome	100,00
NA003	Halo ring brushed nickel	100,00
NA004	Halo ring polished nickel	100,00



N036U LILLEY SPOT RECESSED GU10

Spot light , 350° turnable, 90° adjustable, with lampholder GU10.
 Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36° included.
 Dimensions: width 66mm - height max 172mm.
 The ceiling plate has a diameter of 100mm and can cover a ceiling opening of 40 to max 80mm diameter.
 Main power 120V - 60Hz.
 Use: indoor (IP20)

It's possible to customize the standard included LED spot with the available options.



N036UDBR191	LILLEY SPOT RECESSED - GU10 LED dark bronze	350,00
N036UCRP191	LILLEY SPOT RECESSED - GU10 LED polished chrome plated brass	350,00
N036UCRM191	LILLEY SPOT RECESSED - GU10 LED brushed chrome plated brass	350,00
N036UNIP191	LILLEY SPOT RECESSED - GU10 LED polished nickel plated brass	350,00
N036UNIM191	LILLEY SPOT RECESSED - GU10 LED brushed nickel plated brass	350,00

ACCESSORIES AND SPARES

L191	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36°	150,00
L192	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 25°	150,00



N037U LILLEY SPOT RECESSED

Spot light , 350° turnable, 90° adjustable, with lampholder B15d.
 No lamp included, socket type: B15d.
 The ceiling plate has a diameter of 100mm and can cover a ceiling opening (or an existing spot opening) of 40 to max 80mm diameter (driver to be mounted external).
 Dimensions: Ø baseplate 100mm - max height 148mm.
 Main power 120V - 60Hz. Use: indoor (IP20)

The lamp shown in the picture is not included. The unit comes without spotlight or bulb.



N037UDBR	LILLEY SPOT RECESSED - dark bronze	350,00
N037UCRP	LILLEY SPOT RECESSED - polished chrome plated brass	400,00
N037UCRM	LILLEY SPOT RECESSED - brushed chrome plated brass	400,00
N037UNIP	LILLEY SPOT RECESSED - polished nickel plated brass	400,00
N037UNIM	LILLEY SPOT RECESSED - brushed nickel plated brass	400,00

ACCESSORIES AND SPARES


NA001	Halo ring dark bronze	100,00
NA002	Halo ring polished chrome	100,00
NA049	Halo ring brushed chrome	100,00
NA003	Halo ring brushed nickel	100,00
NA004	Halo ring polished nickel	100,00



N039U LILLEY SHADE

Spot light with lamp shade, 350° turnable, 90° adjustable, with lampholder B15d.
 No lamp included, socket type: B15d.
 Dimensions: width 66mm (Ø ceiling plate) - height max 160mm.
 Main power 120V - 60Hz.
 Use: indoor (IP20)

The lamp shown in the picture is not included. The unit comes without spotlight or bulb.




N039UDBRL37	LILLEY SHADE - LED dark bronze	400,00
N039UCRPL37	LILLEY SHADE - LED polished chrome plated brass	400,00
N039UCRML37	LILLEY SHADE - LED brushed chrome plated brass	400,00
N039UNIPL37	LILLEY SHADE - LED polished nickel plated brass	400,00
N039UNIML37	LILLEY SHADE - LED brushed nickel plated brass	400,00



N041U LILLEY SHADE ON BOX

Spot light with lamp shade, 350° turnable, 90° adjustable, with lampholder B15d.
 No lamp included, socket type: B15d.
 Dimensions: width 90mm (Ø transfobox) - height max 185mm.
 Main power 120V - 60Hz.
 Use: indoor (IP20)

The lamp shown in the picture is not included. The unit comes without spotlight or bulb.



N041UDBRL37	LILLEY SHADE ON BOX - LED dark bronze	550,00
N041UCRPL37	LILLEY SHADE ON BOX - LED polished chrome plated brass	550,00
N041UCRML37	LILLEY SHADE ON BOX - LED brushed chrome plated brass	550,00
N041UNIPL37	LILLEY SHADE ON BOX - LED polished nickel plated brass	550,00
N041UNIML37	LILLEY SHADE ON BOX - LED brushed nickel plated brass	550,00



N043U LILLEY SHADE RECESSED

Spot light with lamp shade, 350° turnable, 90° adjustable, with lampholder B15d, transformer box.
 (driver to be mounted external).
 Dimensions: Ø baseplate 100mm - height max 148mm.
 Main power 120V - 60Hz.
 Use: indoor (IP20)

The lamp shown in the picture is not included. The unit comes without spotlight or bulb.
 It's possible to customize the standard included LED spot with the available options.



N043UDBRL37	LILLEY SHADE RECESSED-LED dark brass	450,00
N043UCRPL37	LILLEY SHADE RECESSED-LED polished chrome plated brass	500,00
N043UCRML37	LILLEY SHADE RECESSED-LED brushed chrome plated brass	500,00
N043UNIPL37	SHADE RECESSED-LED polished nickel plated brass	500,00
N043UNIML37	LILLEY SHADE RECESSED-LED brushed nickel plated brass	500,00



N048U LILLEY SPOT TWIN

Spot light , 350° turnable, 90° adjustable, with lampholder B15d, without driver.
 No lamp included, socket type: B15d.
 Dimensions: width 100x100mm - height 160mm.
 Main power 120V - 60Hz.
 Use: indoor (IP20)

The lamp shown in the picture is not included. The unit comes without spotlight or bulb, without driver



N048UDBRL37	LILLEY SPOT TWIN - LED dark bronze	800,00
N048UCRPL37	LILLEY SPOT TWIN - LED polished chrome plated brass	950,00
N048UCRML37	LILLEY SPOT TWIN - LED brushed chrome plated brass	950,00
N048UNIPL37	LILLEY SPOT TWIN - LED polished nickel plated brass	950,00
N048UNIML37	LILLEY SPOT TWIN - LED brushed nickel plated brass	950,00



N050U LILLEY SHADE TWIN

Spot light with lamp shade, 350° turnable, 90° adjustable, with lampholder B15d, without driver.
 No lamp included, socket type: B15d.
 Dimensions: width 100x100mm - height 160mm.
 Main power 120V - 60Hz.
 Use: indoor (IP20)

The lamp shown in the picture is not included. The unit comes without spotlight or bulb, without driver



N050UDBRL37	LILLEY SHADE TWIN - LED dark bronze	950,00
N050UCRPL37	LILLEY SHADE TWIN - LED polished chrome plated brass	1100,00
N050UCRML37	LILLEY SHADE TWIN - LED brushed chrome plated brass	1100,00
N050UNIPL37	LILLEY SHADE TWIN - LED polished nickel plated brass	1100,00
N050UNIML37	LILLEY SHADE TWIN - LED brushed nickel plated brass	1110,00



N166U LOOE

Wall lamp in brass with 90° arm and standard wall plate.
 Dimensions: wall plate Ø75mm - height 360mm - projection 190mm.
 Lamp LED Rustica clear glass e26 120V 6W 2200K
 Main power 120V - 60Hz.
 Use: indoor (IP20)



N166UBRML002	LOOE sateen brass	550,00
N166UDBRL002	LOOE dark bronze	600,00
N166UCRPL002	LOOE polished chrome plated brass	800,00
N166UCRML002	LOOE brushed chrome plated brass	800,00
N166UNIPPL002	LOOE polished nickel plated brass	800,00
N166UNIML002	LOOE brushed nickel plated brass	800,00

	<u>ACCESSORIES AND SPARES</u>	
L002	LED Rustica clear glass e26 120V 6W 2200K	100,00



N124U MADDOX

Wall lamp with mesh in dark bronze and indirect lighting.
 The closed upper part is also the base of the electrical equipment. Spring closure.
 Dimensions: width 247mm - height 430mm - projection 145mm.
 LED module 120V 6W 2700K 300lm (optoga - dimmable).
 Main power 120V - 60Hz.
 Use: indoor and outdoor (electronics IP65)

The lamp shown in the picture is not included. The unit comes without spotlight or bulb.

N124UDBR134 MADDOX - 2700K dark bronze clear glass 3050,00

NA034 ACCESSORIES AND SPARES
 Maddox wallplate dark bronze 600x410x10mm 1010,00
 NA035 Maddox wallplate dark bronze custom made (price upon request)



N026U MARLOW

Wall lamp in brass with outside fitted clear glass.
 The closed upper part is also the base of the electrical equipment. Spring closure.
 Dimensions: width 302mm - height 415mm - projection 140mm.
 LED line 3,6W 2700K 400lm CRI 92 with integrated driver included (not dimmable).
 Main power 120V 60Hz.
 Use: indoor and outdoor (IP44)

The lamp shown in the picture is not included. The unit comes without spotlight or bulb.

N026UDBRHG MARLOW dark bronze clear glass 2300,00
 N026UDBRMG MARLOW dark bronze frosted glass 2300,00



N147U MONTROSE CITY

Wall lamp with pagoda structure in dark bronze with outside fitted clear glass and spring closure.
Dimensions: width 322mm - height 610mm - projection 235mm.
LED Rustica clear glass e26 120V 6W 2200K included.
Main power 120V - 60Hz.
Use: indoor and outdoor (IP44)



N147UDBRL002HG	MONTROSE CITY dark bronze clear glass	3000,00
	<u>ACCESSORIES AND SPARES</u>	
L002	LED Rustica clear glass e26 120V 6W 2200K	100,00



N148U MONTROSE CITY SMALL

Wall lamp with pagoda structure in dark bronze with outside fitted clear glass and spring closure.
Dimensions: width 216mm - height 405mm - projection 165mm.
LED Rustica clear glass e26 120V 6W 2200K included.
Main power 120V - 60Hz.
Use: indoor and outdoor (IP44)



N148UDBRL002HG	MONTROSE CITY SMALL dark bronze clear glass	2000,00
	<u>ACCESSORIES AND SPARES</u>	
L002	LED Rustica clear glass e26 120V 6W 2200K	100,00



N149U MONTROSE FLOOR

Floor lantern with pagoda structure and handle (eyelet) with outside fitted clear glass, indirect lighting,
5 meter cable H05RNF and plug.
Dimensions: width 322x322mm - height 900mm.
High Power LED 6,2W - 2700K/3000K - CRI 90 (not dimmable) - LED driver.
Main power 120V 60Hz.
Use: outdoor (IP 44)
Fixation to the ground for outdoor use.



N149UDBRL24HGUL	MONTROSE FLOOR - 2700K dark bronze clear glass	2900,00
N149UDBRL18HGUL	MONTROSE FLOOR - 3000K dark bronze clear glass	2900,00



N150U MONTROSE SMALL PENDANT

Pendant light with pagoda structure in dark bronze with outside fitted clear glass.
Dimensions: width 216x216mm - height 407mm.
LED Rustica clear glass e26 120V 6W 2200K included.
Main power 120V - 60Hz.
Use: indoor and outdoor (IP44)

Rods and ceiling plates must be ordered separately, they are not included.



N150UDBRL002HG	MONTROSE SMALL PENDANT dark bronze clear glass	2250,00
	<u>ACCESSORIES AND SPARES</u>	
L002	LED Rustica clear glass e26 120V 6W 2200K	100,00
NA009	Pavilion ceiling plate in dark bronze Ø 1/2"	100,00
NA023	Tube in dark bronze L.600mm Ø 1/2"	150,00
NA024	Tube in dark bronze L.1200mm Ø 1/2"	150,00



N151U MONTROSE PENDANT

Pendant light with pagoda structure in dark bronze with outside fitted clear glass.
 Dimensions: width 322x322mm - height 719mm.
 LED Rustica clear glass e26 120V 6W 2200K included.
 Main power 120V - 60Hz.
 Use: indoor and outdoor (IP43)

Rods and ceiling plates must be ordered separately, they are not included.



N151DBR222HG	MONTROSE PENDANT dark bronze clear glass	2850,00
	<u>ACCESSORIES AND SPARES</u>	
L002	LED Rustica clear glass e26 120V 6W 2200K	100,00
NA009	Pavilion ceiling plate in dark bronze Ø 11cm - Ø 1/2"	100,00
NA023	Tube in dark bronze L.600mm Ø 1/2"	150,00
NA024	Tube in dark bronze L.1200mm Ø 1/2"	150,00



N152U MONTROSE PENDANT LED

Pendant light with pagoda structure in dark bronze, closed top, outside fitted clear glass.
 Dimensions: width 322x322mm - height 719mm.
 Light source by 'FLATSPOT 2' downlighter with LED 10W - 2700/3000K - 600/810lm and driver (not dimmable).
 Main power 120V - 60Hz. Use: indoor and outdoor (IP43)

Rods and ceiling plates must be ordered separately, they are not included.



	Citizen LED 300mA 10W 2700K CRI97 600lm 60°	
N152DBRL64HG	MONTROSE PENDANT - LED dark bronze clear glass	3250,00
	Citizen LED 300mA 10W 3000K CRI97 810lm 60°	
N152DBRL65HG	MONTROSE PENDANT - LED dark bronze clear glass	3250,00
	<u>ACCESSORIES AND SPARES</u>	
NA009	Pavilion ceiling plate in dark bronze Ø 11cm - Ø 1/2"	100,00
NA023	Tube in dark bronze L.600mm Ø 1/2"	150,00
NA024	Tube in dark bronze L.1200mm Ø 1/2"	150,00



N153U MONTROSE LARGE PENDANT

Pendant light with pagoda structure in dark bronze, closed top, outside fitted clear glass. 4-arm lampholder.
 Dimensions: width 436x436mm - height 922mm.
 4 x LED Rustica clear glass e26 120V 6W 2200K
 Main power 120V - 60Hz.
 Use: indoor and outdoor (IP43)

Rods and ceiling plates must be ordered separately, they are not included.



N153UDBR222HG MONTROSE LARGE PENDANT dark bronze clear glass 6050,00

	<u>ACCESSORIES AND SPARES</u>	
L002	LED Rustica clear glass e26 120V 6W 2200K	100,00
NA009	Pavilion ceiling plate in dark bronze Ø 11cm - Ø 1/2"	100,00
NA023	Tube in dark bronze L.600mm Ø 1/2"	150,00
NA024	Tube in dark bronze L.1200mm Ø 1/2"	150,00



N154U MONTROSE LARGE PENDANT LED

Pendant light with pagoda structure in dark bronze, closed top, outside fitted clear glass, water-resistant cable entry.
 Dimensions: width 436x436mm - height 922mm.
 Light source by 'FLATSPOT 2' downlighter with LED 10W - 2700/3000K - 600/810lm and driver (not dimmable).
 Main power 120V - 60Hz. Use: indoor and outdoor (IP43)

Rods and ceiling plates must be ordered separately, they are not included.



Citizen LED 300mA 10W 2700K CRI97 600lm 60°

N154UDBRL64HG MONTROSE LARGE PENDANT - LED dark bronze clear glass 6300,00

Citizen LED 300mA 10W 3000K CRI97 810lm 60°

N154UDBRL65HG MONTROSE LARGE PENDANT - LED dark bronze clear glass 6300,00

	<u>ACCESSORIES AND SPARES</u>	
NA009	Pavilion ceiling plate in dark bronze Ø 11cm - Ø 1/2"	100,00
NA023	Tube in dark bronze L.600mm Ø 1/2"	150,00
NA024	Tube in dark bronze L.1200mm Ø 1/2"	150,00



N155U MONTROSE SMALL ON BRACKET

Small lantern in dark bronze with pagoda structure with outside fitted clear glass, mounted on a support bracket in black smith finishing.
 Dimensions: width 216mm - height 605mm - projection 303mm.
 LED Rustica clear glass e26 120V 6W 2200K included.
 Main power 120V - 60Hz.
 Use: outdoor (IP44)



N155DBRL002HG MONTROSE SMALL ON BRACKET dark bronze clear glass 2700,00

	<u>ACCESSORIES AND SPARES</u>	
L002	LED Rustica clear glass e26 120V 6W 2200K	100,00



N155UFOOT MONTROSE SMALL ON FOOT

Small lantern in dark bronze on foot with pagoda structure with outside fitted clear glass.
 Dimensions: width 213mm - height 495mm - projection 213mm.
 LED Rustica clear glass e26 120V 6W 2200K included.
 Main power 120V - 60Hz.
 Use: outdoor (IP44)



N155FOOTUDBRL002HG	MONTROSE SMALL ON FOOT dark bronze clear glass	3000,00
L002	<u>ACCESSORIES AND SPARES</u> LED Rustica clear glass e26 120V 6W 2200K	100,00



N156U MONTROSE WALL

Wall lamp in dark bronze with pagoda structure and handle (eyelet) with outside fitted clear glass and water-resistant cable entry. Provided with a two-part wall bracket, with adjustable horizontal upper arm, in black smith finishing, three-pointed fixation and electrical connection box.
 Dimensions: width 322mm - height 822mm - projection 761mm to maximum 1037mm.
 LED Rustica clear glass e26 120V 6W 2200K included.
 Main power 120V - 60Hz.
 Use: outdoor (IP43)



N156UDBRL002HG	MONTROSE WALL dark bronze clear glass	4550,00
L002	<u>ACCESSORIES AND SPARES</u> LED Rustica clear glass e26 120V 6W 2200K	100,00



N157U MONTROSE WALL LED

Wall lamp in dark bronze with pagoda structure and handle (eyelet) with outside fitted clear glass and water-resistant cable entry. Provided with a two-part wall bracket, with adjustable horizontal upper arm, in black smith finishing, three-pointed fixation and electrical connection box.
 Dimensions: width 322mm - height 822mm - projection 761mm to maximum 1037mm.
 Light source by 'FLATSPOT 2' downlighter with LED 10W - 2700/3000K - 600/810lm and driver (not dimmable).
 Main power 120V - 60Hz.
 Use: outdoor (IP43)



Citizen LED 300mA 10W 2700K CRI97 600lm 60°

N157UDBRL64HG MONTROSE WALL - LED dark bronze clear glass 5400,00

Citizen LED 300mA 10W 3000K CRI97 810lm 60°

N157UDBRL65HG MONTROSE WALL - LED dark bronze clear glass 5400,00



N158U MONTROSE WALL LARGE

Wall lamp in dark bronze with pagoda structure with outside fitted clear glass and water-resistant cable entry. Provided with a two-part wall bracket, with adjustable horizontal upper arm, in black smith finishing, three-pointed fixation and electrical connection to box. 4-arm lampholder.
 Dimensions: width 436mm - height 1085mm - projection 818mm to maximum 1094mm.
 4 x LED Rustica clear glass e26 120V 6W 2200K included.
 Main power 120V - 60Hz.
 Use: outdoor (IP44)



N158DBRL002HG MONTROSE WALL LARGE dark bronze clear glass 7100,00

L002 [ACCESSORIES AND SPARES](#)
 LED Rustica clear glass e26 120V 6W 2200K 100,00



N159U MONTROSE WALL LARGE LED

Wall lamp in dark bronze with pagoda structure with outside fitted clear glass and water-resistant cable entry. Provided with a two-part wall bracket, with adjustable horizontal upper arm, in black smith finishing, three-pointed fixation and electrical connection to box. 4-arm lampholder.
 Dimensions: width 436mm - height 1085mm - projection 818mm to maximum 1094mm.
 Light source by 'FLATSPOT 2' downlighter with LED 10W - 2700/3000K - 600/810lm and driver (not dimmable).
 Main power 120V - 60Hz.
 Use: outdoor (IP44)



Citizen LED 300mA 10W 2700K CRI97 600lm 60°

N159DBRL64HG MONTROSE WALL LARGE - LED dark bronze clear glass 6750,00

Citizen LED 300mA 10W 3000K CRI97 810lm 60°

N159DBRL65HG MONTROSE WALL LARGE - LED dark bronze clear glass 6750,00



N132U MUSAR 10

Wall lamp in brass with clear glass or metal gauze at the inside of the frame. Vertical installation.
 Dimensions: width 150mm - height 500mm - projection 150mm.
 LED Rustica clear glass e26 120V 6W 2200K included.
 Main power 120V - 60Hz.
 Use: indoor (IP20)



	<u>CLEAR GLASS</u>	
N132UDBRL002HG	MUSAR 10 dark bronze	1900,00
N132UCRPL002HG	MUSAR 10 polished chrome plated brass clear glass	2200,00
N132UCRML002HG	MUSAR 10 brushed chrome plated brass clear glass	2200,00



	<u>GAUZE</u>	
N132UDBRL002MET	MUSAR 10 dark bronze	1900,00
N132UCRPL002MET	MUSAR 10 polished chrome plated brass gauze	2200,00
N132UCRML002MET	MUSAR 10 brushed chrome plated brass gauze	2200,00

GAUZE
 Woven metal gauze at the inside of the light fitting

	<u>ACCESSORIES AND SPARES</u>	
L002	LED Rustica clear glass e26 120V 6W 2200K	100,00



N093U PAGODE

Wall lamp in dark bronze with pagoda structure and outside fitted clear glass. Spring closure.
 Dimensions: width 213mm - height 418mm - projection 180mm.
 LED Rustica clear glass e26 120V 6W 2200K included
 Main power 120V - 60Hz.
 Use: indoor and outdoor (IP44)



N093UDBRL002HG	PAGODE dark bronze clear glass	1900,00
----------------	--------------------------------	---------

	<u>ACCESSORIES AND SPARES</u>	
L002	LED Rustica clear glass e26 120V 6W 2200K	100,00



N128U PENROSE

Candle light in dark bronze with outside fitted clear safety glass, superstructure with handle (eyelet).
 Supplied with an imitation oyster-white candlecover with LED
 5 meter cable H05RNF and plug.
 Dimensions: width 315x315mm - height 620mm.
 Main power 120V - 60Hz.
 Use: outdoor (IP43)

Please note that the candle cover may differ in color due to composition of the polyamide.



N128UL38	PENROSE ON 230V dark bronze	3250,00
N128U129	PENROSE ON 230V - LED WITH CANDLE EFFECT dark bronze	3300,00

N128129 *24V DC (transformer included)
 Colour play with an average colour temperature of 2085K
 3W - CRI 88*

	<u>ACCESSORIES AND SPARES</u>	
L038	Lamp LED Retro A60 e27 120V 4,5W 2700K 470lm (not dimmable)	100,00




N145U PICTURE LIGHT SMALL

Wall lamp on knuckle joint 90° and fixed bracket and backplate in brass.
 Dimensions: width 210mm - height 115mm - projection max 249mm - diameter lampscreen 51mm.
 No bulb included, socket type: e14 120V.
 Main power 120V - 60Hz.
 Use: indoor (IP20)

The lamp shown in the picture is not included. The unit comes without spotlight or bulb.



N145UBRP	PICTURE LIGHT SMALL polished brass	900,00
N145UDBR	PICTURE LIGHT SMALL dark bronze	900,00
N145UCRP	PICTURE LIGHT SMALL polished chrome plated brass	900,00
N145UCRM	PICTURE LIGHT SMALL brushed chrome plated brass	900,00
N145UNIP	PICTURE LIGHT SMALL polished nickel plated brass	900,00
N145UNIM	PICTURE LIGHT SMALL brushed nickel plated brass	900,00



N146U PICTURE LIGHT MEDIUM

Wall lamp on knuckle joint 90° and fixed bracket and backplate in brass.
 Dimensions: width 330mm - height 115mm - projection max 249mm - diameter lampscreen 51mm.
 No bulb included, socket type: e14 120V.
 Main power 120V - 60Hz.
 Use: indoor (IP20)

The lamp shown in the picture is not included. The unit comes without spotlight or bulb.



N146UBRP	PICTURE LIGHT MEDIUM polished brass	1050,00
N146UDBR	PICTURE LIGHT MEDIUM dark bronze	1050,00
N146UCRP	PICTURE LIGHT MEDIUM polished chrome plated brass	1150,00
N146UCRM	PICTURE LIGHT MEDIUM brushed chrome plated brass	1150,00
N146UNIP	PICTURE LIGHT MEDIUM polished nickel plated brass	1150,00
N146UNIM	PICTURE LIGHT MEDIUM brushed nickel plated brass	1150,00



N131U PORTREATH

Pendant light with a clear glass structure held in brass frame, sections with dimensions of 15x15mm.
 Dimensions: length 1230mm - width 130mm - height 250mm.
 Ceiling plate (not included): 900mm x 106mm x height 25mm.
 4 x LED Rustica clear glass e26 120V 6W 2200K
 Main power 120V - 60Hz.
 Use: indoor (IP20)

Rods and ceiling plates must be ordered separately, they are not included.



N131UDBRL002	PORTREATH dark bronze clear glass	4100,00
--------------	-----------------------------------	---------

ACCESSORIES AND SPARES

L002	LED Rustica clear glass e26 120V 6W 2200K	100,00
NA062	Set of 2 rods L.600mm Ø 10mm dark bronze	250,00
NA027	Set of 2 rods L.1200mm Ø 10mm dark bronze	300,00
NA103	Ceiling plate 900x106x25mm dark bronze	250,00



N078U QUAY LIGHT 45°

Wall lamp in copper with reflector, canted arm 45° and clear glass.
 Dimensions: width 310mm - height 360mm - projection 450mm.
 No bulb included, socket type: e26 120V.
 Main power 120V - 60Hz.
 Use: outdoor (IP44)

The lamp shown in the picture is not included. The unit comes without spotlight or bulb.



N078UCPMHG	QUAY LIGHT 45° copper clear glass	800,00
N078UZWTHG	QUAY LIGHT 45° lacquered black copper clear glass	1200,00

<u>ACCESSORIES AND SPARES</u>		
G022	Quay Light clear glass	150,00



N077U QUAY LIGHT 90°

Wall lamp in copper with reflector, 90° right angle arm and clear glass.
 Dimensions: width 310mm - height 360mm - projection 390mm.
 No bulb included, socket type: e26 120V.
 Main power 120V - 60Hz.
 Use: outdoor (IP44)

The lamp shown in the picture is not included. The unit comes without spotlight or bulb.



N077UCPMHG	QUAY LIGHT 90° copper clear glass	800,00
N077UZWTHG	QUAY LIGHT 90° lacquered black copper clear glass	1200,00


<u>ACCESSORIES AND SPARES</u>		
G022	Quay Light clear glass	150,00



N001 SHELL LIGHT

Wall lamp in sandcasted brass.
 Dimensions: width 122mm - height 167mm - projection 65mm.
 Main power 120V - 60Hz.
 Use: indoor (IP20)

This product is manufactured according to traditional methods.
 Please take into consideration that small imperfections may occur.




N001BRP	SHELL LIGHT - LED polished brass	450,00
N001DBR	SHELL LIGHT - LED dark bronze	550,00
N001CRM	SHELL LIGHT - LED brushed chrome plated brass	700,00



N028U SPREADERLIGHT 12V

Wall lamp in sandcasted brass with frosted glass.
 Dimensions: width 80mm - height 130mm - projection 85,5mm.
 Lamp Soraa LED MR16Vivid 12V 9W 3000K 95 CRI 450lm 36° (dimmable).
 Main power 12V AC/ 12V DC. (US on request)
 Use: outdoor (IP43)


*This product is manufactured according to traditional methods.
 Please take into consideration that small imperfections may occur.*



N028UBRP	SPREADERLIGHT 12V - LED polished brass*	800,00
N028URDB	SPREADERLIGHT 12V - LED rough dark bronze	750,00
N028UDBR	SPREADERLIGHT 12V - LED dark bronze	900,00
N028UCRP	SPREADERLIGHT 12V - LED polished chrome plated brass	950,00
N028UCRM	SPREADERLIGHT 12V - LED brushed chrome plated brass	950,00

ACCESSORIES AND SPARES


L030	Lamp Soraa LED MR16Vivid 12V 9W 3000K 95 CRI 450lm 36° (dimmable)	150,00
G020	Spreaderlight frosted glass	50,00
NA033	Spreaderlight gasket (old version)	50,00



N044U SPREADERLIGHT HOUSENUMBER 12V

Wall lamp in sandcasted brass with frosted glass. Wall plate with max. 3 numbers included.
 All numbers and letters are available in dark bronze and polished brass.
 Dimensions: Width 120mm - length 270mm - depth 20mm.
 Lamp Soraa LED MR16Vivid 12V 9W 3000K 95 CRI 450lm 36° (dimmable).
 Main power 12V AC/ 12V DC. (US on request) Use: outdoor (IP43)


*This product is manufactured according to traditional methods.
 Please take into consideration that small imperfections may occur.*



N044UBRP	SPREADERLIGHT HOUSENUMBER 12V - LED polished brass*	1550,00
N044URDB	SPREADERLIGHT HOUSENUMBER 12V - LED rough dark bronze	1500,00
N044UDBR	SPREADERLIGHT HOUSENUMBER 12V - LED dark bronze	1700,00
N044UCRP	SPREADERLIGHT HOUSENUMBER 12V - LED polished chrome plated brass	1700,00
N044UCRM	SPREADERLIGHT HOUSENUMBER 12V - LED brushed chrome plated brass	1700,00

ACCESSORIES AND SPARES


G020	Spreaderlight frosted glass	50,00
NA033	Spreaderlight gasket (old version)	50,00



N045U SPREADERLIGHT HOUSENUMBER 12V WITH DOORBELL

Wall lamp in sandcasted brass with frosted glass. Wall plate with max. 3 numbers and doorbell included.
 Dimensions: Width 120mm - length 270mm - depth 20mm.
 All numbers and letters are available in dark bronze and polished brass. Doorbell in polished brass included.
 Lamp Soraa LED MR16Vivid 12V 9W 3000K 95 CRI 450lm 36° (dimmable).
 Main power 12V AC/ 12V DC. (US on request) Use: outdoor (IP43)

*This product is manufactured according to traditional methods.
 Please take into consideration that small imperfections may occur.*



N045UBRP	SPREADERLIGHT HOUSENUMBER 12V DOORBELL - LED polished brass*	1650,00
N045URDB	SPREADERLIGHT HOUSENUMBER 12V DOORBELL - LED rough dark bronze	1600,00
N045UDBR	SPREADERLIGHT HOUSENUMBER 12V DOORBELL - LED dark bronze	1800,00
N045UCRP	SPREADERLIGHT HOUSENUMBER 12V DOORBELL - LED polished chrome plated brass	1800,00
N045UCRM	SPREADERLIGHT HOUSENUMBER 12V DOORBELL - LED brushed chrome plated brass	1800,00

ACCESSORIES AND SPARES

G020	Spreaderlight frosted glass	50,00
NA033	Spreaderlight gasket (old version)	50,00



N189U

WILFORD 12V

Spreaderlight mounted on a pole, sandcasted brass with frosted glass.

Spreaderlight: width 80mm - height 130mm - projection 85,5mm.

Wilford: width 90mm - depth 50mm - length 700mm.

Lamp Soraa LED MR16Vivid 12V 9W 3000K 95 CRI 450lm 36° (dimnable). Main power 12V AC/ 12V DC.

Use: outdoor (electronics IP65)

*This product is manufactured according to traditional methods.
Please take into consideration that small imperfections may occur.*



N189UBRP	WILFORD 12V - LED polished brass*	1500,00
N189URDB	WILFORD 12V - LED rough dark bronze	1650,00
N189UDBR	WILFORD 12V - LED dark bronze	1900,00
N189UCRP	WILFORD 12V - LED polished chrome plated brass	1950,00
N189UCRM	WILFORD 12V - LED brushed chrome plated brass	1950,00
N189UAGR	WILFORD 12V - LED acid green	2100,00

ACCESSORIES AND SPARES

L030	Lamp Soraa LED MR16Vivid 12V 9W 3000K 95 CRI 450lm 36° (dimnable)	75,00
G020	Spreaderlight frosted glass	35,00
NA033	Spreaderlight gasket (old version)	25,00



N115U THORN PETE

Wall or ceiling light in brass.
 Dimensions: wall plate Ø66mm - height max 220mm - projection 80mm.
 LED Rustica clear glass e26 120V 6W 2200K included.
 Main power 120V - 60Hz.
 Use: indoor (IP20)



N115UDBRL002	THORN PETE dark bronze	450,00
N115UCRPL002	THORN PETE polished chrome plated brass	450,00
N115UCRML002	THORN PETE brushed chrome plated brass	450,00
N115UNIPL002	THORN PETE polished nickel plated brass	450,00
N115UNIML002	THORN PETE brushed nickel plated brass	450,00

ACCESSORIES AND SPARES

L002	LED Rustica clear glass e26 120V 6W 2200K	100,00
------	---	--------



N116U THORN PETE GRIP

Lampholder with ceiling plate in brass and metalovered cable. Standard with 2m of cable.
 Dimensions: Ø65mm (bulb) - ceiling plate Ø66mm - height max 2150mm.
 LED Rustica clear glass e26 120V 6W 2200K included.
 Main power 120V - 60Hz.
 Use: indoor (IP20)



N116UBRPL002	THORN PETE GRIP polished brass	550,00
N116UDBRL002	THORN PETE GRIP dark bronze	550,00
N116UNIML002	THORN PETE GRIP brushed nickel plated brass	600,00
N116UZWTL002	THORN PETE GRIP lacquered black	550,00

ACCESSORIES AND SPARES

L002	LED Rustica clear glass e26 120V 6W 2200K	100,00
K055	Thorn pete cable brass /meter	100,00
K039	Thorn pete cable black /meter	100,00
K056	Thorn pete cable brushed nickel plated brass /meter	100,00
K040	Thorn pete cable dull polished chrome plated brass /meter	100,00



N117U THORN PETE PENDANT

Lampholder with tube and ceiling plate in brass. Dimensions: Ø65mm (bulb) - ceiling plate Ø66mm.
 Total height with tube 600mm: 800mm. Total height with tube 1200mm: 1400mm.
 Tube can be cut at required length.
 LED Rustica clear glass e26 120V 6W 2200K included.
 Main power 120V - 60Hz.
 Use: indoor (IP20)



<u>TUBE 600mm</u>		
N117UDBRL0026DB	THORN PETE PENDANT - 60 dark bronze	650,00
N117UCRPL0026C1	THORN PETE PENDANT - 60 polished chrome plated brass	650,00
N117UCRML0026C2	THORN PETE PENDANT - 60 brushed chrome plated brass	650,00
N117UNIPL0026C2	THORN PETE PENDANT - 60 polished nickel plated brass	650,00
N117UNIML0026N1	THORN PETE PENDANT - 60 brushed nickel plated brass	650,00

<u>TUBE 1200mm</u>		
N117UDBRL0021DB	THORN PETE PENDANT - 120 dark bronze	590,00
N117UCRPL0021C1	THORN PETE PENDANT - 120 polished chrome plated brass	650,00
N117UCRML0021C2	THORN PETE PENDANT - 120 brushed chrome plated brass	650,00
N117UNIPL0021C2	THORN PETE PENDANT - 120 polished nickel plated brass	650,00
N117UNIML0021N1	THORN PETE PENDANT - 120 brushed nickel plated brass	650,00

ACCESSORIES AND SPARES

L002	LED Rustica clear glass e26 120V 6W 2200K	100,00
------	---	--------



N014U STEPLIGHT 12V

Semi-recessed light with ribbed clear cover glass and sandcasted brass front guard for diffused light.
 Dimensions: width 130mm - height 102mm - projection 23mm.
 Recess dimensions: width 100mm - height 86mm - depth 39mm.
 LED module 120V 6W 2700K 300lm (optoga - dimmable).
 Main power 120V - 60Hz.
 Use: outdoor (electronics IP65)

The lamp shown in the picture is not included. The unit comes without spotlight or bulb.



N014UBRP134HG	STEPLIGHT 120V - LED polished brass clear glass*	600,00
N014UDBR134HG	STEPLIGHT 120V - LED dark bronze clear glass	600,00
N014UCRP134HG	STEPLIGHT 120V - LED polished chrome plated brass clear glass*	600,00
N014UCRM134HG	STEPLIGHT 120V - LED brushed chrome plated brass clear glass	600,00
N014UNIP134HG	STEPLIGHT 120V - LED polished nickel plated brass clear glass*	600,00
N014UNIM134HG	STEPLIGHT 120V - LED brushed nickel plated brass clear glass*	600,00

ACCESSORIES AND SPARES

NA032	Steplight gasket	100,00
G010	Steplight clear Ribbed glass	100,00



N090U STIFFKEY

Wall lamp in brass with adjustable arm, lampholder B22 with safety switch and ornamental, hexagonal or spherical opal glass.
 Main power 120V 60Hz.
 Use: indoor (IP20)

The lamp shown in the picture is not included. The unit comes without spotlight or bulb.



STANDARD		
N090UDBRL34SG	STIFFKEY dark bronze	650,00
N090UBRML34SG	STIFFKEY sateen brass	650,00
N090UCRPL34SG	STIFFKEY polished chrome plated brass	650,00
N090UCRML34SG	STIFFKEY brushed chrome plated brass	650,00
N090UNIPL34SG	STIFFKEY polished nickel plated brass	650,00
N090UNIML34SG	STIFFKEY brushed nickel plated brass	650,00



STANDARD
 Ornamental opal glass.
 W100mm - H220mm - P158mm.

ONDINE		
N090UDBRL34OG	STIFFKEY ONDINE dark bronze	650,00
N090UBRML34OG	STIFFKEY ONDINE sateen brass	650,00
N090UCRPL34OG	STIFFKEY ONDINE polished chrome plated brass	650,00
N090UCRML34OG	STIFFKEY ONDINE brushed chrome plated brass	650,00
N090UNIPL34OG	STIFFKEY ONDINE polished nickel plated brass	650,00
N090UNIML34OG	STIFFKEY ONDINE brushed nickel plated brass	650,00




ONDINE
 Hexagonal opal glass.
 W114mm - H215mm - P158mm.

BOBECHE		
N090UDBRL34BG	STIFFKEY BOBECHE dark bronze	650,00
N090UBRML34BG	STIFFKEY BOBECHE sateen brass	650,00
N090UCRPL34BG	STIFFKEY BOBECHE polished chrome plated brass	650,00
N090UCRML34BG	STIFFKEY BOBECHE brushed chrome plated brass	650,00
N090UNIPL34BG	STIFFKEY BOBECHE polished nickel plated brass	650,00
N090UNIML34BG	STIFFKEY BOBECHE brushed nickel plated brass	650,00

ACCESSORIES AND SPARES

G027	Stiffkey opal glass standard	100,00
G038	Stiffkey opal glass ondine	100,00
G039	Stiffkey opal glass bobeche	100,00



BOBECHE
 Spherical opal glass.
 W150mm - H221mm - P176mm.




N141U VILLAGE

Ceiling light with inside fitted clear glass.
 Dimensions: width 140x140mm - height 250mm.
 LED Rustica clear glass e26 120V 6W 2200K
 Main power 120V - 60Hz.
 Use: indoor (IP20)



N141UDBR222HG	VILLAGE dark bronze clear glass	1250,00
N141UDBR222RG	VILLAGE dark bronze Rivuletta (vertical lined) clear glass	1450,00
<u>ACCESSORIES AND SPARES</u>		
L002	LED Rustica clear glass e26 120V 6W 2200K	100,00



N163U TUBE CEILING

Ceiling light in lacquered aluminium, with reflector. (The reflector is removable).
 Dimensions: diameter 90mm - height 280mm.
 Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36° included.
 Main power 120V 60Hz.
 Use: indoor (IP20) (Phase DIM)

It's possible to customize the standard included LED spot with the available options.


Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36° included.

N163UZWTRC1L191	TUBE CEILING lacquered Black - Black reflector	700,00
N163UWTRWIL191	TUBE CEILING lacquered White - White reflector	700,00
N163UCTMRC1L191	TUBE CEILING lacquered Custom color	850,00

ACCESSORIES AND SPARES

L191	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36°	150,00
L192	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 25°	150,00

REMARK: The color of the reflector can be changed - please note that when the custom reflector has already been produced and/or delivered, it cannot be changed.



N164U TUBE HANGING

Ceiling light in lacquered aluminium, with reflector, (the reflector is removable), ceiling plate and rayon cable (max 3m). Dimensions: diameter 90mm - height 280mm.
 Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36° included.
 Main power 120V 50Hz.
 Use: indoor (IP20) (Phase DIM)

It's possible to customize the standard included LED spot with the available options.

Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36° included.

N164UWTRWILL191	TUBE HANGING lacquered White - White reflector	900,00
N164UZWTRC1LL191	TUBE HANGING lacquered Black - Black reflector	900,00
N164UCTMRC1LL191	TUBE HANGING lacquered Custom color	1050,00

ACCESSORIES AND SPARES

L191	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36°	150,00
L192	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 25°	150,00

REMARK: The color of the reflector can be changed - please note that when the custom reflector has already been produced and/or delivered, it cannot be changed.

ACCESSORIES AND SPARES

LAMPS

L002	LED Rustica clear glass e26 120V 6W 2200K	100,00
L030	Lamp Soraa LED MR16Vivid 12V 9W 3000K 95 CRI 450lm 36° (dimnable)	150,00
L191	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36°	150,00
L192	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 25°	150,00

GLASS

G020	Spreaderlight frosted glass	50,00
G022	Quay Light clear glass	150,00
G043	Admiral / Butterfly / Docklight frosted glass globe	150,00
G044	Admiral / Butterfly / Docklight clear glass globe	100,00

ACCESSORIES FOR NAUTIC

Maximum length rods: 6m

NA002	Halo ring polished chrome	100,00
NA003	Halo ring brushed nickel	100,00
NA004	Halo ring polished nickel	100,00
NA008	Pavilion ceiling plate in dark bronze Ø 10mm 700mm	100,00
NA009	Pavilion ceiling plate in dark bronze Ø 1/2"	100,00
NA013	Tube with hook and eyelet in dark bronze L.600mm Ø 10mm	100,00
NA014	Tube with hook and eyelet in dark bronze L.1200mm Ø 10mm	150,00
NA022	Quay light lampholder porcelain 230V E27	100,00
NA023	Tube in dark bronze L.600mm Ø 1/2"	150,00
NA024	Tube in dark bronze L.1200mm Ø 1/2"	150,00
NA033	Spreaderlight gasket (old version)	50,00
NA049	Halo ring brushed chrome	1000,00

OTHER

ANK1159	Cleaning Kit	150,00
ANK1162	Sample Box	500,00
ANK0092	Blakes Table Lamp AC adapter charger	100,00
ANK0092	Ilford Floor AC adapter charger	100,00
ANK0095	Blakes Table Lamp Plug US	50,00
ANK0095	Ilford Floor Plug US	50,00
K039	Thorn pete cable black /meter	100,00
K040	Thorn pete cable dull polished chrome plated brass /meter	100,00
K055	Thorn pete cable brass /meter	100,00
K056	Thorn pete cable brushed nickel plated brass /meter	100,00
NA001	Halo ring dark bronze	100,00

ARTON®



TEKNA pricelist 01-01-2024

Prices, products and/or parts can be changed without prior notice. Each order is subject to and governed solely by the terms and conditions of TEKNA. *only inside use.
All prices are quoted in USD (\$ U.S. Dollar - VAT excl.)

ARTON - Pricelist 01.01.2022.

All prices are unit prices, exclusive VAT, ex works.

Prices, products and/or parts can be changed without prior notice.

Custom color : prices for minimum quantity of 20 pieces by color- surcharge for custom color products less than 20 pieces : \$ 200,00 NET price.

Lighting fixtures ordered in custom color must be prepaid and are non-refundable.

Each order is subject to and governed solely by the terms and conditions of Tekna.

Please be aware that the photos used are indicative and may differ from the final product.

TEKNA - Stokkelaar 13, B-9160 Lokeren, Belgium - T. +32 9 348 08 02 - E. sales@tekna.be - www.tekna.be



@TEKNA.BE

ARTON®

BUTTERFIELD FLOOR
COOMBE
FLOOR OD
KEMBLEFORD PENDANT LED
LIZARD
MARQUESSE
MERCER
MERCER LONG
PENDEEN
PHARE SINGLE
PHARE DOUBLE
PHARE TRIPLE
STOCKLES
TRIBECA 2
TRIBECA 4
WALCOTT
WALCOTT TWIN



N015U BUTTERFIELD FLOOR

Reading lamp in solid brass, lampholder in height adjustable, diffuser with frosted glass, 2 meter cable and plug.
 Dimensions: width 210mm - depth 410mm - overall height 1305mm.
 No bulb included, socket type: e14
 Main power 120V - 60Hz.
 Use: indoor (IP20)

The unit comes without spotlight or bulb.



N015UBRVL58UL	BUTTERFIELD FLOOR vintage brass	6450,00
N015UBRML58UL	BUTTERFIELD FLOOR sateen brass	6450,00
N015UDBRL58UL	BUTTERFIELD FLOOR dark bronze	6450,00

ACCESSORIES AND SPARES

L058	Lamp LED Deco Tubular Long E14 230V 4W 2200K 260lm (dimmable)	55,00
------	---	-------



N174U COOMBE

Floor lamp in cast bronze. Dimensions: width 165mm - height 240mm - depth 110mm.
 LED 2700K or 3000K 7.5W 360lm 10° (dimmable).
 Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36° included
Casambi, wireless lighting control system (bluetooth).
 Push-button dimmer.
 Main power 120V
 Use: indoor (IP20)

It's possible to customize the standard included LED spot with the available options.



N174UDBRL62	COOMBE dark bronze	2150,00
-------------	--------------------	---------

ACCESSORIES AND SPARES

L191	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36°	150,00
L192	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 25°	150,00



CASAMBI MANUAL
 Wireless lighting control system
 (bluetooth)




N160U FLOOR OD LED

Cylinder-shaped floorlamp in lacquered aluminium, 2 meters of cable, plug and foot control dimmer.
 Dimensions: Ø 140mm - height 240mm.
 No bulb included, socket type: e26.
 Main power 120V - 60Hz.
 Use: indoor (IP20)

The unit comes without spotlight or bulb.



N160UGRSUL	FLOOR OD - LED lacquered nextel grey	950,00
N160UZWTUL	FLOOR OD - LED lacquered black	950,00
N160UZWGUL	FLOOR OD - LED lacquered black (outside) Gold color(inside)	1000,00
N160UCTMUL	FLOOR OD - LED lacquered custom color	1050,00



N089U LIZARD

Wall lamp in brass with detailed profile and inside fitted clear glass.
 For vertical installation only.
 Dimensions: width 183mm - height 545mm - projection 190mm.
 Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36° included
 To be connected to 120V AC
 Use: indoor (IP20)



N089UDBRL49	LIZARD dark bronze with trimming grey/salmon	4650,00
N089UBRVL49	LIZARD vintage brass with trimming grey/yellow	4650,00



N027U MARQUESSE

Reading lamp with a rectangular weighted base, vertical arm and a vertical placed tube on knuckle joint, 350° turnable, 90° adjustable, with GU10 lampholder, 2 meter cable, plug and foot control dimmer.
 Tube diameter 55mm - height tube 157 mm.
 Dimensions: width 220 mm - depth 110 mm - height 1250 mm.
 Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36° included.
 Main power 120V - 60Hz. Use: indoor (IP20)

It's possible to customize the standard included LED spot with the available options.



N027UDBR191	MARQUESSE laquered dark bronze	1400,00
N027UZWT191	MARQUESSE laquered black	1350,00
N027UWIT191	MARQUESSE laquered white	1350,00

ACCESSORIES AND SPARES

L191	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36°	150,00
L192	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 25°	150,00



N176U KEMBLEFORD PENDANT

Pendant light in brass with extruded clear glass outer- and frosted glass inner tube.
 Dimensions: width 1554mm - height specified by customer - depth 74mm.
 Ceiling plate (not included): 550mm x 56mm x 40mm.
 LED tube - 24V - 55W - 2700K / 3000K - CRI96 - 1500lm (dimnable) & 24V power supply included.
 Main power 120V Use: indoor (IP20)

Rods and ceiling plates must be ordered separately, they are not included.

LED tube - 24V - 55W - 2700K - CRI96 - 1500lm

N176UDBR181	KEMBLEFORD PENDANT LED tube 2700K dark bronze	4600,00
N176UBRM181	KEMBLEFORD PENDANT LED tube 2700K sateen brass	4600,00

LED tube - 24V - 55W - 3000K - CRI96 - 1500lm

N176UDBR182	KEMBLEFORD PENDANT LED tube 3000K dark bronze	4600,00
N176UBRM182	KEMBLEFORD PENDANT LED tube 3000K sateen brass	4600,00

ACCESSORIES AND SPARES

NA069	Set of 2 rods L.600mm Ø 1/2" dark bronze	250,00
NA070	Set of 2 rods L.600mm Ø 1/2" sateen brass	250,00
NA078	Set of 2 rods L.1200mm Ø 1/2" dark bronze	300,00
NA079	Set of 2 rods L.1200mm Ø 1/2" sateen brass	300,00
NA097	Ceiling plate dark bronze	500,00
NA098	Ceiling plate sateen brass	500,00



N119U MERCER

Wall lamp in solid brass with individual glass rods.
 Dimensions: width 100mm - height 372mm - projection 90mm.
 Lampholder in aluminium Linestra S14s.
 Lamp Segula frosted glass S14s 120V 8W 2200K 300mm included.
 Main power 120V - 60Hz.
 Use: indoor (IP40)



N119UBRP165	MERCER polished brass	1150,00
N119UDBR165	MERCER dark bronze	1150,00
N119UBRM165	MERCER sateen brass	1550,00
N119UBRV165	MERCER vintage brass	1000,00
N119UCRP165	MERCER polished chrome plated brass	1200,00
N119UNIP165	MERCER polished nickel plated brass	1200,00

ACCESSORIES AND SPARES

L165	Lamp Segula frosted glass S14s 120V 8W 2200K 300mm	120,00
L161	Lamp Segula LED clear glass S14s 120V 7W 2200K 300mm	120,00



N120U MERCER LONG


Wall lamp in solid brass with individual glass rods.
 Dimensions: width 100mm - height 572mm - projection 90mm.
 Lampholder in aluminium Linestra S14s.
 Lamp Segula clear glass S14S 120V 12W 2200K 500mm included.
 Main power 120V - 60Hz.
 Use: indoor (IP40)



N120UBRP162	MERCER LONG polished brass	1100,00
N120UDBR162	MERCER LONG dark bronze	1150,00
N120UBRM162	MERCER LONG sateen brass	1150,00
N120UBRV162	MERCER LONG vintage brass	1150,00
N120UCRP162	MERCER LONG polished chrome plated brass	1350,00
N120UNIP162	MERCER LONG polished nickel plated brass	1350,00

ACCESSORIES AND SPARES

L162	Lamp Segula clear glass S14S 120V 12W 2200K 500mm	130,00
L166	Segula LED frosted glass S14s 120V 10W 2200K 500mm	130,00



N122U PENDEEN

Pendant lamp in solid brass with milled lines in checkerboard pattern.
 Dimensions: width 320mm - height 240mm - depth 80mm.
 3 x Comfort spot with goldcolor painted reflector.
 Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36° included.
 Main power 120V - 60Hz. Use: indoor (IP20)
Rods must be ordered separately, they are not included.
It's possible to customize the standard included LED spot with the available options.



N122UBRS191	PENDEEN patinated dark brass	7250,00
-------------	------------------------------	---------

ACCESSORIES AND SPARES


L191	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36°	150,00
L192	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 25°	150,00
NA062	Set of 2 rods L.600mm Ø 10mm dark bronze	270,00
NA027	Set of 2 rods L.1200mm Ø 10mm dark bronze	320,00



N135U PHARE SINGLE

Wall lamp with tubular LED lamp, length 300mm or 500mm, central lampbase type S14d.
 Central u-shaped lampholder, fitted in a decorative brass box.
 Dimensions: length 75mm - width 45mm - height 45mm.
 Lamp Milky White glass S14d 120V 7W 2200K 320lm 300mm included for SMALL.
 Lamp Milky White glass S14d 120V 10W 2200K 480lm 500mm included for LARGE.
 Main power 120V - 60Hz.
 Use: indoor (IP20)

It's possible to customize the standard included LED bulb with the available options.



	<u>SMALL</u>	
N135UBRP163	PHARE SINGLE SMALL polished brass	500,00
N135UDBR163	PHARE SINGLE SMALL dark bronze	500,00
N135UCRP163	PHARE SINGLE SMALL polished chrome plated brass	550,00
N135UCRM163	PHARE SINGLE SMALL brushed chrome plated brass	550,00
N135UNIP163	PHARE SINGLE SMALL polished nickel plated brass	550,00
N135UNIM163	PHARE SINGLE SMALL brushed nickel plated brass	550,00
N135UCTM163	PHARE SINGLE SMALL lacquered custom color	550,00

ACCESSORIES AND SPARES

L163	Lamp Segula LED frosted glass S14d 120V 7W 2200K 320lm 300mm	150,00
L159	Lamp Segula LED clear glass S14d 120V 7W 2200K 300mm	150,00

LARGE

N135UBRP164	PHARE SINGLE LARGE polished brass	500,00
N135UDBR164	PHARE SINGLE LARGE dark bronze	550,00
N135UCRP164	PHARE SINGLE LARGE polished chrome plated brass	600,00
N135UCRM164	PHARE SINGLE LARGE brushed chrome plated brass	600,00
N135UNIP164	PHARE SINGLE LARGE polished nickel plated brass	600,00
N135UNIM164	PHARE SINGLE LARGE brushed nickel plated brass	600,00
N135UCTM164	PHARE SINGLE LARGE lacquered custom color	600,00

ACCESSORIES AND SPARES


L164	Lamp Segula LED frosted glass S14d 120V 10W 2200K 480lm 500mm	150,00
L160	Lamp Segula LED clear glass S14d 120V 10W 2200K 510lm 500mm	150,00



N136U PHARE DOUBLE

Wall lamp with tubular LED lamp, length 300mm or 500mm, central lampbase type S14d.
 Central u-shaped lampholder, fitted in a decorative brass box.
 Dimensions: length 75mm - width 89mm - height 45mm.
 2 x Lamp Milky White glass S14d 120V 7W 2200K 320lm 300mm included for SMALL.
 2 x Lamp Milky White glass S14d 120V 10W 2200K 480lm 500mm included for LARGE.
 Main power 120V - 60Hz.
 Use: indoor (IP20)

It's possible to customize the standard included LED bulb with the available options.



	<u>SMALL</u>	
N136UBRP163	PHARE DOUBLE SMALL polished brass	650,00
N136UDBR163	PHARE DOUBLE SMALL dark bronze	700,00
N136UCRP163	PHARE DOUBLE SMALL polished chrome plated brass	700,00
N136UCRM163	PHARE DOUBLE SMALL brushed chrome plated brass	700,00
N136UNIP163	PHARE DOUBLE SMALL polished nickel plated brass	700,00
N136UNIM163	PHARE DOUBLE SMALL brushed nickel plated brass	700,00
N136UCTM163	PHARE DOUBLE SMALL lacquered custom color	700,00

ACCESSORIES AND SPARES

L163	Lamp Segula LED frosted glass S14d 120V 7W 2200K 320lm 300mm	150,00
L159	Lamp Segula LED clear glass S14d 120V 7W 2200K 300mm	150,00

LARGE

N136UBRP164	PHARE DOUBLE LARGE polished brass	650,00
N136UDBR164	PHARE DOUBLE LARGE dark bronze	700,00
N136UCRP164	PHARE DOUBLE LARGE polished chrome plated brass	750,00
N136UCRM164	PHARE DOUBLE LARGE brushed chrome plated brass	750,00
N136UNIP164	PHARE DOUBLE LARGE polished nickel plated brass	750,00
N136UNIM164	PHARE DOUBLE LARGE brushed nickel plated brass	750,00
N136UCTM164	PHARE DOUBLE LARGE lacquered custom color	750,00

ACCESSORIES AND SPARES


L164	Lamp Segula LED frosted glass S14d 120V 10W 2200K 480lm 500mm	150,00
L160	Lamp Segula LED clear glass S14d 120V 10W 2200K 510lm 500mm	150,00



N137U PHARE TRIPLE

Wall lamp with tubular LED lamp, length 300mm or 500mm, central lampbase type S14d.
 Central u-shaped lampholder, fitted in a decorative brass box.
 Dimensions: length 75mm - width 133mm - height 45mm.
 3 x Lamp Milky White glass S14d 120V 7W 2200K 320lm 300mm included for SMALL.
 3 x Lamp Milky White glass S14d 120V 10W 2200K 480lm 500mm included for LARGE.
 Main power 120V - 60Hz.
 Use: indoor (IP20)

It's possible to customize the standard included LED bulb with the available options.



	SMALL	
N137UBRP163	PHARE TRIPLE SMALL polished brass	900,00
N137UDBR163	PHARE TRIPLE SMALL dark bronze	950,00
N137UCRP163	PHARE TRIPLE SMALL polished chrome plated brass	1000,00
N137UCRM163	PHARE TRIPLE SMALL brushed chrome plated brass	1000,00
N137UNIP163	PHARE TRIPLE SMALL polished nickel plated brass	1000,00
N137UNIM163	PHARE TRIPLE SMALL brushed nickel plated brass	1000,00
N137UCTM163	PHARE TRIPLE SMALL lacquered custom color	1000,00

ACCESSORIES AND SPARES

L163	Lamp Segula LED frosted glass S14d 120V 7W 2200K 320lm 300mm	150,00
L159	Lamp Segula LED clear glass S14d 120V 7W 2200K 300mm	150,00

LARGE

N137UBRP164	PHARE TRIPLE LARGE polished brass	950,00
N137UDBR164	PHARE TRIPLE LARGE dark bronze	950,00
N137UCRP164	PHARE TRIPLE LARGE polished chrome plated brass	900,00
N137UCRM164	PHARE TRIPLE LARGE brushed chrome plated brass	900,00
N137UNIP164	PHARE TRIPLE LARGE polished nickel plated brass	900,00
N137UNIM164	PHARE TRIPLE LARGE brushed nickel plated brass	900,00
N137UCTM164	PHARE TRIPLE LARGE lacquered custom color	900,00

ACCESSORIES AND SPARES

L164	Lamp Segula LED frosted glass S14d 120V 10W 2200K 480lm 500mm	150,00
L160	Lamp Segula LED clear glass S14d 120V 10W 2200K 510lm 500mm	150,00



PHARE SMALL

Lamp Segula LED frosted glass S14d
 120V 7W 2200K 320lm 300mm



PHARE LARGE

Lamp Segula LED frosted glass S14d
 120V 10W 2200K 480lm 500mm



N118U STOCKLES

Vertical wall fixture with solid milled U-shaped holders in brass.
 Individual glass rods for light diffusion, mounted on a brass wall plate.
 The glass screen is mounted on a brass wall plate.
 Dimensions: width 100mm - height 570mm - projection 110mm.
 Lamp Milky White glass S14d 120V 10W 2200K 480lm 500mm included
 Mainpower 120V 60Hz.
 Use: indoor (IP20)

It's possible to customize the standard included LED bulb with the available options.



N118UBRP164	STOCKLES polished brass	1900,00
N118UBRM164	STOCKLES sateen brass	1950,00
N118UCRP164	STOCKLES polished chrome plated brass	3450,00
N118UCRM164	STOCKLES brushed chrome plated brass	3450,00
N118UNIP164	STOCKLES polished nickel plated brass	3450,00
N118UNIM164	STOCKLES brushed nickel plated brass	3450,00

ACCESSORIES AND SPARES

L164	Lamp Segula LED frosted glass S14d 120V 10W 2200K 480lm 500mm	150,00
L160	Lamp Segula LED clear glass S14d 120V 10W 2200K 510lm 500mm	150,00



N138U TRIBECA 2

Ceiling light with a brass frame, 4 sides with woven metal gauze.
 Dimensions: length 400mm - width 150mm - height 400mm.
 2 x Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36° included.
 Main power 120V 60Hz.
 Use: indoor (IP20)

It's possible to customize the standard included LED spot with the available options.



N138UDBRAULL191	TRIBECA-2 dark bronze - Lacquered gold color reflector	3850,00
	<u>ACCESSORIES AND SPARES</u>	
L191	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36°	150,00
L192	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 25°	150,00



N139U TRIBECA 4

Ceiling light with a brass frame, 4 sides with woven metal gauze.
 Dimensions: length 400mm - width 400mm - height 400mm.
 4 x 2 x Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36° included.
 Main power 120V 60Hz.
 Use: indoor (IP20)

It's possible to customize the standard included LED spot with the available options.




N139UDBRAULL191	TRIBECA-4 dark bronze - Lacquered gold color reflector	5250,00
	<u>ACCESSORIES AND SPARES</u>	
L191	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36°	150,00
L192	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 25°	150,00




N122U WALCOTT

Wall lamp in artisanal soldered brass housing.
 Dimensions: width 160mm - height 325mm - projection 125mm.
 LED Rustica clear glass e26 120V 6W 2200K included.
 Main power 120V - 60Hz.
 Use: indoor (IP20)



N122UDBRL002	WALCOTT dark bronze	1500,00
N122UBRVL002	WALCOTT vintage brass	1500,00
N122UAULL002	WALCOTT lacquered sateen brass	1950,00

	<u>ACCESSORIES AND SPARES</u>	
L002	LED Rustica clear glass e26 120V 6W 2200K	100,00



N123U WALCOTT TWIN

Wall lamp in artisanal soldered brass housing.
 Dimensions: width 160mm - height 550mm - projection 125mm.
 2 x LED Rustica clear glass e26 120V 6W 2200K included.
 Main power 120V - 60Hz.
 Use: indoor (IP20)



N123UDBRL002	WALCOTT TWIN dark bronze	2100,00
N123UBRVL002	WALCOTT TWIN vintage brass	2100,00
N123UAULL002	WALCOTT TWIN lacquered sateen brass	2750,00

	<u>ACCESSORIES AND SPARES</u>	
L002	LED Rustica clear glass e26 120V 6W 2200K	100,00

ACCESSORIES AND SPARES

LAMPS

L159	Lamp Segula LED clear glass S14d 120V 7W 2200K 300mm	120,00
L160	Lamp Segula LED clear glass S14d 120V 10W 2200K 510lm 500mm	120,00
L161	Lamp Segula LED clear glass S14s 120V 7W 2200K 300mm	120,00
L162	Lamp Segula clear glass S14S 120V 12W 2200K 500mm	130,00
L163	Lamp Segula LED frosted glass S14d 120V 7W 2200K 320lm 300mm	120,00
L164	Lamp Segula LED frosted glass S14d 120V 10W 2200K 480lm 500mm	120,00
L165	Lamp Segula frosted glass S14s 120V 8W 2200K 300mm	120,00
L166	Segula LED frosted glass S14s 120V 10W 2200K 500mm	130,00
L191	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36°	120,00
L192	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 25°	120,00

ACCESSORIES FOR ARTON

Maximum length: 6m

NA027	Set of 2 rods L.1200mm Ø 10mm dark bronze	320,00
NA062	Set of 2 rods L.600mm Ø 10mm dark bronze	270,00


OTHER

ANK1159	Cleaning Kit	120,00
ANK1162	Sample Box	550,00



GIOBAGNARA × TEKNA

BLAKES TABLE LAMP
MARQUESSE
WALCOTT
WALCOTT TWIN
FLOOR OD



TEKNA X GIOBAGNARA

We proudly present to you our exclusive and exciting collaboration with GioBagnara, pioneer in Italian luxury leather. Tekna strives to constantly improve itself: creating new designs and exploring cutting-edge materials. Because our lighting is all about seamless finishes, authentic design and decorative excellence, we are committed to seeking partners who reinforce these high-level values.

The TEKNA x GIOBAGNARA Collection aims to create pieces able to generate unique atmospheres and enhance spaces, giving birth to a union where traditional Italian and Belgian lifestyles meet.

GioBagnara, a brand that is distinctive for elegantly designed creations that express luxury without ostentation, available in an uncommon and virtually limitless color palette of leathers and suede, handcrafted to the highest standards using both traditional know-how and leading-edge technology.

“Elegant, unique but above all exclusive. The collection rests on these pillars and is one-of-a-kind in its sector. With this collection we want to delight Tekna lovers with quality and detail. Transform any space into a dynamic landscape of light and texture. Mix & match different color tones and stitching, everything to create your personalized masterpiece, carefully treated and assembled by hand.”



WALCOTT TWIN / Left: H62, printed calfskin deer: papaya - Right: H08, printed calfskin deer: siena

TEKNA

Thanks to Tekna's timeless designs made from robust, high-quality materials, Tekna has been a pioneer in the lighting world since the early 1990s. The seamless finish of our lighting exudes pure quality. This approach is particularly appreciated both at home and abroad. With the Nautic, Arton and Flatspot collections, our brand occupies a particularly large segment of the market because we manufacture both architectural, decorative and designer lighting.

Tekna has a great passion for traditional techniques with a personal touch. Therefore, we are always looking for authentic ideas that can be handmade in Belgium. No luminaire is the same, that is the power of "handmade".

Every design is created with natural materials. Almost 98% of our fixtures are made out of brass. Not only is it a high quality material, it's also a very rewarding and reliable material to work with. You can easily bend it into the desired shape and it can easily withstand all weather conditions. You can also find bronze, aluminum, red copper, marble and glass in our lighting, these noble materials are extremely rewarding and lend themselves perfectly to Tekna's wide range of collections. These robust materials make our brand what it is.

To develop our luminaires, we resolutely opt for one approach: we combine strong, traditional methods with a timeless character. A successful recipe that radiates simplicity, functionality and elegance.

“ With a Tekna community spread all over the world, we want to give the world of lighting a new dimension. ”

GIOBAGNARA

Renowned for its elegant creations that convey luxury without ostentation, GIOBAGNARA adheres to the highest standards of craftsmanship. By pursuing a philosophy that incorporates traditional knowhow with leading-edge technologies, and offering a limitless color palette of quality leathers and suede, founder Giorgio Bagnara has been able to experiment and push the technical boundaries of his craft in order to create pieces that are both beautiful and functional.

Launched in 1999, the GIOBAGNARA brand has quickly earned a reputation for expert leather workmanship, and its founder has become a key partner for a large number of interior designers as well as a select group of yacht and private jet designers who rely on his specialized knowledge to realize made-to-measure commissions.

In 2015, Giorgio Bagnara expanded his leather goods portfolio with the acquisition of saddle leather specialist RABITTI1969. In 2017, Bagnara initiated a collaboration with French designer Stéphane Parmentier, who was appointed creative director of GIOBAGNARA and its affiliate brands.

In 2018, the company's portfolio grew with the strategic acquisition of PIGMENT FRANCE, a respected company with specialized skills in leather covering and the weaving of wicker, rattan and straw. Today, two decades after its launch, GIOBAGNARA counts more than 60 employees. The brand now boasts an impressive offer of quality leather homewares and is ready to embark on its next exciting chapter.



N301U

BLAKES TABLE LAMP

Table lamp in lacquered brass and leather finish of your choice.
 Supplied with rechargeable Li-ion battery, good for a life span of 7 hours after full recharge (2h).
 Dimensions: width 140x140mm- height 320mm.
 High Power LED 3000K - CRI 95 - 2W. LED driver and charger included.
 Main power 120V - 60Hz.
 Use: indoor (IP20)



Please choose from the following 5 standard color combinations, always marked with **LEATHER / STITCHING** tint. If you would like to use one of the other available colors, please note that these fixtures will have a longer delivery time.

High Power LED - 2700K - CRI 95 - 2W


N301UDBGG38L24UL	BLAKES TABLE LAMP - MANGO / MANGO - 2700K - dark bronze clear glass	2450,00
N301UDBGG17L24UL	BLAKES TABLE LAMP - BORDEAUX / BORDEAUX - 2700K - dark bronze clear glass	2450,00
N301UDBGG32L24UL	BLAKES TABLE LAMP - ULTRA MARINE / GOLD - 2700K - dark bronze clear glass	2450,00
N301UDBGG21L24UL	BLAKES TABLE LAMP - MUD / LIGHT GREY - 2700K - dark bronze clear glass	2450,00
N301UDBGG43L24UL	BLAKES TABLE LAMP - PISTACHIO / OFF WHITE - 2700K - dark bronze clear glass	2450,00

High Power LED - 3000K - CRI 95 - 2W

N301UDBGG38L18UL	BLAKES TABLE LAMP - MANGO / MANGO - 3000K - dark bronze clear glass	2450,00
N301UDBGG17L18UL	BLAKES TABLE LAMP - BORDEAUX / BORDEAUX - 3000K - dark bronze clear glass	2450,00
N301UDBGG32L18UL	BLAKES TABLE LAMP - ULTRA MARINE / GOLD - 3000K - dark bronze clear glass	2450,00
N301UDBGG21L18UL	BLAKES TABLE LAMP - MUD / LIGHT GREY - 3000K - dark bronze clear glass	2450,00
N301UDBGG43L18UL	BLAKES TABLE LAMP - PISTACHIO / OFF WHITE - 3000K - dark bronze clear glass	2450,00

On request
 Frosted glass
 Rivuletta glass

	<u>ACCESSORIES AND SPARES</u>	
ANK0092	Blakes Table Lamp AC adapter charger	100,00
ANK0095	Blakes Table Lamp Plug US	50,00



*Create your own unique masterpiece
 using our sample book.*



TEKNA pricelist 01-01-2024

Prices, products and/or parts can be changed without prior notice. Each order is subject to and governed solely by the terms and conditions of TEKNA. *only inside use.
All prices are quoted in USD (\$ U.S. Dollar - VAT excl.)



TEKNA pricelist 01-01-2024

Prices, products and/or parts can be changed without prior notice. Each order is subject to and governed solely by the terms and conditions of TEKNA. *only inside use.
All prices are quoted in USD (\$ U.S. Dollar - VAT excl.)



N302U MARQUESSE

Reading lamp with a weighted base, vertical arm and a vertically placed tube on articulated joint, 350° rotatable, 90° adjustable, with GU10 lamp holder, 2m cable, plug and foot control dimmer.

Tube diameter 55mm - height tube 157 mm.

Dimensions: width 335 mm - depth 115 mm - height 1335 mm.

Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36° included.


Main power 120V - 60Hz.

Use: indoor (IP20)



Please choose from the following 5 standard color combinations, always marked with **LEATHER / STITCHING** tint. If you would like to use one of the other available colors, please note that these fixtures will have a longer delivery time.

N302UZWGG38191	MARQUESSE - MANGO / MANGO - laquered black	2650,00
N302UZWGG17191	MARQUESSE - BORDEAUX / BORDEAUX - laquered black	2650,00
N302UZWGG32191	MARQUESSE - ULTRA MARINE / GOLD - laquered black	2650,00
N302UZWGG21191	MARQUESSE - MUD / LIGHT GREY - laquered black	2650,00
N302UZWGG43191	MARQUESSE - PISTACHIO / OFF WHITE - laquered black	2650,00
N302UCTG	MARQUESSE laquered custom color	on request
	<u>ACCESSORIES AND SPARES</u>	
L191	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36°	150,00
L192	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 25°	150,00



Create your own unique masterpiece using our sample book.



N303U WALCOTT

Wall lamp in artisanal soldered brass housing, leather finish of your choice.
 Dimensions: width 165mm - height 355mm - projection 130mm.
 LED Rustica clear glass e26 120V 6W 2200K included.
 Main power 120V - 60Hz.
 Use: indoor (IP20)

Please choose from the following 5 standard color combinations, always marked with **LEATHER / STITCHING** tint. If you would like to use one of the other available colors, please note that these fixtures will have a longer delivery time.

N303UGIOG38L002	WALCOTT - MANGO / MANGO	2150,00
N303UGIOG17L002	WALCOTT - BORDEAUX / BORDEAUX	2150,00
N303UGIOG32L002	WALCOTT - ULTRA MARINE / GOLD	2150,00
N303UGIOG21L002	WALCOTT - MUD / LIGHT GREY	2150,00
N303UGIOG43L002	WALCOTT - PISTACHIO / OFF WHITE	2150,00

ACCESSORIES AND SPARES

L002	LED Rustica clear glass e26 120V 6W 2200K	100,00
------	---	--------



N304U WALCOTT TWIN

Wall lamp in artisanal soldered brass housing, leather finish of your choice.
 Dimensions: width 165mm - height 550mm - projection 130mm.
 2 x LED Rustica clear glass e26 120V 6W 2200K included.
 Main power 120V - 60Hz.
 Use: indoor (IP20)

Please choose from the following 5 standard color combinations, always marked with **LEATHER / STITCHING** tint. If you would like to use one of the other available colors, please note that these fixtures will have a longer delivery time.

N304UGIOG38L002	WALCOTT TWIN - MANGO / MANGO	2600,00
N304UGIOG17L002	WALCOTT TWIN - BORDEAUX / BORDEAUX	2600,00
N304UGIOG32L002	WALCOTT TWIN - ULTRA MARINE / GOLD	2600,00
N304UGIOG21L002	WALCOTT TWIN - MUD / LIGHT GREY	2600,00
N304UGIOG43L002	WALCOTT TWIN - PISTACHIO / OFF WHITE	2600,00

ACCESSORIES AND SPARES

L002	LED Rustica clear glass e26 120V 6W 2200K	100,00
------	---	--------

*Create your own unique masterpiece
 using our sample book.*



N305U FLOOR OD

Cylinder-shaped floorlamp in lacquered aluminium, 2 meters of cable, plug and foot control dimmer.

Dimensions: Ø 140mm - height 240mm.

No bulb included, socket type: e26.

Main power 120V - 60Hz.

Use: indoor (IP20)

The unit comes without spotlight or bulb.

Please choose from the following 5 standard color combinations, always marked with **LEATHER / STITCHING** tint. If you would like to use one of the other available colors, please note that these fixtures will have a longer delivery time.

N305UZWTMNG	FLOOR OD - MANGO / MANGO	1850,00
N305UZWTBDX	FLOOR OD - BORDEAUX / BORDEAUX	1850,00
N305UZWTUMA	FLOOR OD - ULTRA MARINE / GOLD	1850,00
N305UZWTMUD	FLOOR OD - MUD / LIGHT GREY	1850,00
N305UZWTPST	FLOOR OD - PISTACHIO / OFF WHITE	1850,00

Create your own unique masterpiece using our sample book.



TEKNA pricelist 01-01-2024


Prices, products and/or parts can be changed without prior notice. Each order is subject to and governed solely by the terms and conditions of TEKNA. *only inside use.
All prices are quoted in USD (\$ U.S. Dollar - VAT excl.)




Swatch Book

PRINTED CALFSKIN GOLF


tanned in Italy • origin: Northern Europe • price category: A
waterproof, scratchproof




G98
olive green




G02
loden green




G57
cipress




G46
mint




G43
pistachio




G26
apple green




G27
lemon




G76
mustard



G03
yellow



G04
orange




G38
mango




G05
white




G95
off white




G06
ivory




G28
cipria




G91
nude




G42
cappuccino




G07
sand




G51
caramel




G08
siena




G30
tobacco




G82
rust




G96
clay




G09
brown




G25
moka




G49
ice




G29
lilac gray




G41
storm grey




G66
sky




G10
light blue




G60
capri




G22
turquoise




G32
ultramarine



G31
petrol blue




G12
royal blue




G33
ocean

PRINTED CALFSKIN GOLF


tanned in Italy • origin: Northern Europe • price category: A
waterproof, scratchproof




G23
coral




G13
red




G48
scarlet




G17
bordeaux




G93
plum




G16
violet




G36
grape




G35
raspberry




G34
pink



G45
dove




G83
stone




G37
light grey




G18
grey




G21
mud




G24
smoke



G67
lava




G19
graphite



G77
slate




G20
black




G61
pearl




G63
moonsand




G54
copper




G56
bronze



G58
titanium




G52
silver



G50
gold

PRINTED CALFSKIN WILD BOAR


tanned in Italy • origin: Northern Europe • price category: A
waterproof, scratchproof




B98
olive green




B57
cipress



B01
acid green




B76
mustard



B38
mango



B95
off white




B42
cappuccino



B51
caramel




B96
clay



B09
brown




B49
ice




B41
storm grey



B33
ocean




B59
garnet




B17
bordeaux



B83
stone




B37
light grey



B21
mud



B67
lava




B77
slate




B20
black

PRINTED CALFSKIN WILD DEER

tanned in Italy • origin: Northern Europe • price category: A
water-resistant and slightly resistant to scratches




H57
cipress




H42
cappuccino



H95
off white



H91
nude




H76
mustard




H08
siena



H25
moka



H12
royal blue




H17
bordeaux




H62
papaya



H24
smoke



H21
mud



H83
stone



H37
light grey



H67
lava



H93
plum




H20
black

NAPPA

tanned in Italy • origin: Northern Europe • price category: A
water-resistant and slightly resistant to scratches



F46
mint



F26
apple green



F02
loden green



F76
mustard



F04
orange



F05
white



F95
off white



F06
ivory



F91
nude




F42
cappuccino



F51
caramel



F08
siena



F82
rust



F09
brown



F10
light blue




F41
storm grey



F60
capri




F68
denim



F31
petrol blue



F12
royal blue




F33
ocean



F13
red




F53
pink peony



F79
wine




F17
bordeaux




F65
antique rose




F93
plum



F83
stone




F21
mud




F24
smoke



F96
clay



F71
rock




F19
graphite



F67
lava




F77
slate



F20
black

SUEDE


tanned in Italy • origin: Northern Europe • price category: A
scratchproof



A80
musk



A02
loden green



A31
petrol blue



A46
mint



A69
sage



A44
terracotta



A05
white



A06
ivory



A42
cappuccino



A91
nude



A76
mustard



A30
tobacco



A08
siena



A82
rust



A47
nut



A75
chocolate




A09
brown



A66
sky




A92
wave



A32
ultramarine



A12
royal blue




A33
ocean



A89
feather



A19
graphite




A16
violet



A93
plum



A17
bordeaux



A13
red



A62
papaya



A21
mud




A24
smoke



A37
light grey



A18
grey



A67
lava



A20
black



STITCHING

Stitching can be white, tone-on-tone or contrasting color.





FLATSPOT - Pricelist 01.01.2024.

All prices are unit prices, exclusive VAT, ex works.

Prices, products and/or parts can be changed without prior notice.

Custom color : prices for minimum quantity of 20 pieces by color- surcharge for custom color products less than 20 pieces: € 200,00 NET price.

Lighting fixtures ordered in custom color must be prepaid and are non-refundable.

Each order is subject to and governed solely by the terms and conditions of Tekna.

Please be aware that the photos used are indicative and may differ from the final product.

TEKNA - Stokkelaar 13, B-9160 Lokeren, Belgium - T. +32 9 348 08 02 - E. sales@tekna.be - www.tekna.be



TEKNA pricelist 01-01-2024

Prices, products and/or parts can be changed without prior notice. Each order is subject to and governed solely by the terms and conditions of TEKNA. *only inside use.
All prices are quoted in USD (\$ U.S. Dollar - VAT excl.)

@TEKNA BE

TEKNA pricelist 01-01-2024

Prices, products and/or parts can be changed without prior notice. Each order is subject to and governed solely by the terms and conditions of TEKNA. *only inside use.
All prices are quoted in USD (\$ U.S. Dollar - VAT excl.)

ASTONE®

Stoned about light

TEKNA pricelist 01-01-2024

Prices, products and/or parts can be changed without prior notice. Each order is subject to and governed solely by the terms and conditions of TEKNA. *only inside use.
All prices are quoted in USD (\$ U.S. Dollar - VAT excl.)

ASTONE - Pricelist 01.01.2024.

All prices are unit prices, exclusive VAT, ex works.

Prices, products and/or parts can be changed without prior notice.

Custom color : prices for minimum quantity of 20 pieces by color- surcharge for custom color products less than 20 pieces: € 200,00 NET price.

Lighting fixtures ordered in custom color must be prepaid and are non-refundable.

Each order is subject to and governed solely by the terms and conditions of Tekna.

Please be aware that the photos used are indicative and may differ from the final product.

TEKNA - Stokkelaar 13, B-9160 Lokeren, Belgium - T. +32 9 348 08 02 - E. sales@tekna.be - www.tekna.be



@TEKNA.BE

ASTONE®

Stoned about light


COOMBE	106
FLOOR OD LED	106
WALCOTT TABLE	107

The wonderful union of art, craftsmanship, advanced technology and high-end lighting. That's what the Astone Collection strives for. In addition to the already familiar materials such as bronze, brass and glass, we are now adding a fourth durable material: natural stone. This noble material makes each product unique. No two pieces are the same.

Each product begins as a solid block of stone. This is chiseled, ground and milled into a beautiful shape and is incomparable. Each block tells its own story, the veins, the colors, the textures.... All orchestrated by the forces of nature millions of years ago. The result is a beautiful composition of stones and minerals admired by all.

Working closely with our in-house designer and one of the world's leading natural stone companies, we transform these treasures of raw materials into unique and high-quality design lighting. The Astone collection allows us to be creative with colors, textures and shapes.

Light as timeless as a stone!



N401U COOMBE

Floor lamp in cast bronze. Dimensions: width 165mm - height 240mm - depth 110mm.
Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36° included.

Casambi, wireless lighting control system (bluetooth).

Push-button dimmer.

Main power 120V - 60Hz.


Use: indoor (IP20)

It's possible to customize the standard included LED spot with the available options.

N401UBCOL49UL	COOMBE dark bronze - Bianco Carrara	2650,00
N401UNMAL49UL	COOMBE dark bronze - Nero Marquina	2700,00
N401UVGUL49UL	COOMBE dark bronze - Verde Guatemala	3050,00



CASAMBI MANUAL
Wireless lighting control system
(bluetooth)



N402U FLOOR OD LED

Cylinder-shaped floorlamp in lacquered aluminium, 2 meters of cable, plug and foot control dimmer.

Dimensions: Ø 140mm - height 240mm.

No bulb included, socket type: e26.

Main power 120V - 60Hz.

Use: indoor (IP20)

The unit comes without spotlight or bulb.

N402UBCOUL	FLOOR OD - LED - Bianco Carrara	1550,00
N402UNMAUL	FLOOR OD - LED - Nero Marquina	1700,00
N402UVGUUL	FLOOR OD - LED - Verde Guatemala	1900,00
N402URSAUL	FLOOR OD - LED - Rosa Salmonato	1900,00



Bianco Carrara BCO

Nero Marquina NMA


Verde Guatemala VGU

Rosa Salmonato RSA



N400U WALCOTT TABLE






Wall lamp in brass with marble finish of your choice.
 Dimensions: width 165mm - height 355mm - projection 130mm.
 LED Rustica clear glass e26 120V 6W 2200K
 Main power 120V 60Hz.
 Use: indoor (IP20)



N400UDBRBCO222UL	WALCOTT TABLE - LED - Dark Bronze / Bianco Carrara	2050,00
N400UDBRNMA222UL	WALCOTT TABLE - LED - Dark Bronze / Nero Marquina	2150,00
N400UDBRVGU222UL	WALCOTT TABLE - LED - Dark Bronze / Verde Guatemala	2300,00
N400UDBRTRO222UL	WALCOTT TABLE - LED - Dark Bronze / Travertino Romano	2350,00
N400UDBRTRS222UL	WALCOTT TABLE - LED - Dark Bronze / Travertino Rosso	2350,00
N400UBRMBCO222UL	WALCOTT TABLE - LED - Sateen Brass/ Bianco Carrara	2050,00
N400UBRMNMA222UL	WALCOTT TABLE - LED - Sateen Brass/ Nero Marquina	2150,00
N400UBRMVGU222UL	WALCOTT TABLE - LED - Sateen Brass/ Verde Guatemala	2300,00
N400UBRMTRO222UL	WALCOTT TABLE - LED - Sateen Brass/ Travertino Romano	2350,00
N400UBRMTRS222UL	WALCOTT TABLE - LED - Sateen Brass/ Travertino Rosso	2350,00
N400UCPMTRS222UL	WALCOTT TABLE - LED - Copper/ Bianco Carrara	2050,00
N400UCPMTRS222UL	WALCOTT TABLE - LED - Copper/ Nero Marquina	2150,00
N400UCPMTRS222UL	WALCOTT TABLE - LED - Copper/ Verde Guatemala	2300,00
N400UCPMTRS222UL	WALCOTT TABLE - LED - Copper/ Travertino Romano	2350,00
N400UCPMTRS222UL	WALCOTT TABLE - LED - Copper/ Travertino Rosso	2350,00

ACCESSORIES AND SPARES

L002	LED Rustica clear glass e26 120V 6W 2200K	100,00
------	---	--------

	Bianco Carrara	BCO
	Nero Marquina	NMA
	Verde Guatemala	VGU
	Travertino Romano	TRO
	Travertino Rosso	TRS


FLATSPOT®

DOWNLIGHTER

FLATSPOT 1 TRIMLESS CITIZEN
FLATSPOT 1 TRIMLESS XOB
FLATSPOT 1 TRIMLESS 12V
FLATSPOT 1 TRIMLESS GU10
FLATSPOT 1 TRIM CITIZEN
FLATSPOT 1 TRIM XOB
FLATSPOT 1 TRIM 12V
FLATSPOT 1 TRIM GU10
FLATSPOT 2 TRIMLESS CITIZEN
FLATSPOT 2 TRIMLESS 12V
FLATSPOT 2 TRIMLESS GU10
FLATSPOT 2 TRIM CITIZEN
FLATSPOT 2 TRIM 12V
FLATSPOT 2 TRIM GU10


DIRECTIONAL

FLATSPOT 6 TRIMLESS XOB
FLATSPOT 6 TRIMLESS GU10
FLATSPOT 6 SURFACE MOUNTED XOB
FLATSPOT 6 SURFACE MOUNTED GU10
FLATSPOT 6 GU10 TRACK
FLATSPOT 7 TRIMLESS XOB
FLATSPOT 7 SURFACE MOUNTED XOB




BUILT-IN KIT FOR TRIMLESS

FA002	<u>For false ceiling</u>	50,00
FA003	Flatspot threaded fastner Flatspot outer casing	100,00





FA003	<u>For concrete ceiling</u>	100,00
	Flatspot outer casing	




Please note that these parts must be ordered separately. The installation kit isn't included in the price of any Flatspot product.

It's possible to receive the installation kit immediately after placing your order. The transportation cost will be covered by the customer.



BUILT-IN KIT / PLASTER CEILING




All Flatspot products are designed to easily fit into the same installation sleeve. (modular system)



BUILT-IN KIT / CONCRETE CEILING




All Flatspot products are designed to easily fit into the same installation sleeve. (modular system)



For more information and detailed installation sheets, please visit our website. www.tekna.be

DOWNLIGHTER

TRIMLESS VERSION



F001U FLATSPOT 1 TRIMLESS CITIZEN

Trimless recessed downlighter, for false and concrete ceiling.
 Dimensions: cut out 83mm (81mm for concrete ceiling) - outside diameter 80mm - built-in height 150mm.
 To connect to external Remote LED driver (not included).
 Power supply constant current LED driver MAX 350mA and >15W.
 Use: indoor (IP20) Energy class A++

Installation items must be ordered separately, they are not included.

Citizen LED module 10W - 300mA - 2700K - CRI 97 - 600lm - light distribution 60° (included).

F001UZWTL64	FLATSPOT 1 - TRIMLESS CITIZEN - Black	350,00
F001UCRPL64	FLATSPOT 1 - TRIMLESS CITIZEN - Chrome	350,00
F001UAULL64	FLATSPOT 1 - TRIMLESS CITIZEN - Gold color	350,00
F001UWITL64	FLATSPOT 1 - TRIMLESS CITIZEN - White	350,00
F001UCTML64	FLATSPOT 1 - TRIMLESS CITIZEN - Custom color	400,00
F001UCOBL64	FLATSPOT 1- TRIMLESS CITIZEN - brushed Copper	400,00
F001UCOLL64	FLATSPOT 1- TRIMLESS CITIZEN - lacquered Copper	400,00
F001UPBBL64	FLATSPOT 1- TRIMLESS CITIZEN - brushed Pecan Brown	400,00
F001UPBLL64	FLATSPOT 1- TRIMLESS CITIZEN - lacquered Pecan Brown	400,00
F001UCBBL64	FLATSPOT 1- TRIMLESS CITIZEN - brushed Cedar Brown	400,00
F001UCBLL64	FLATSPOT 1- TRIMLESS CITIZEN - lacquered Cedar Brown	400,00
F001UCGBL64	FLATSPOT 1- TRIMLESS CITIZEN - brushed Champagne Gold	400,00
F001UCGLL64	FLATSPOT 1- TRIMLESS CITIZEN - lacquered Champagne Gold	400,00

RECOMMENDED LED DRIVER

D013	Lumotech L05016Ci 20W max. 110-500mA 3-43V DC 110-240V AC (1-10V)	150,00
D057	TCI DC Minijolly DALI 20-20W max 250-700mA	100,00
<u>BUILT-IN KIT (INSTALLATION)</u>		
FA002	Flatspot threaded fastner (false ceiling)	50,00
FA003	Flatspot outer casing (false ceiling)	100,00
FA003	Flatspot outer casing (concrete ceiling)	100,00

Citizen LED module 10W - 300mA - 3000K - CRI 97 - 810lm - light distribution 60° (included).

F001UZWTL65	FLATSPOT 1 - TRIMLESS CITIZEN - Black	350,00
F001UCRPL65	FLATSPOT 1 - TRIMLESS CITIZEN - Chrome	350,00
F001UAULL65	FLATSPOT 1 - TRIMLESS CITIZEN - Gold color	350,00
F001UWITL65	FLATSPOT 1 - TRIMLESS CITIZEN - White	350,00
F001UCTML65	FLATSPOT 1 - TRIMLESS CITIZEN - Custom color	260,00
F001UCOBL65	FLATSPOT 1- TRIMLESS CITIZEN - brushed Copper	400,00
F001UCOLL65	FLATSPOT 1- TRIMLESS CITIZEN - lacquered Copper	400,00
F001UPBBL65	FLATSPOT 1- TRIMLESS CITIZEN - brushed Pecan Brown	400,00
F001UPBLL65	FLATSPOT 1- TRIMLESS CITIZEN - lacquered Pecan Brown	400,00
F001UCBBL65	FLATSPOT 1- TRIMLESS CITIZEN - brushed Cedar Brown	400,00
F001UCBLL65	FLATSPOT 1- TRIMLESS CITIZEN - lacquered Cedar Brown	400,00
F001UCGBL65	FLATSPOT 1- TRIMLESS CITIZEN - brushed Champagne Gold	400,00
F001UCGLL65	FLATSPOT 1- TRIMLESS CITIZEN - lacquered Champagne Gold	400,00

RECOMMENDED LED DRIVER

D013	Lumotech L05016Ci 20W max. 110-500mA 3-43V DC 110-240V AC (1-10V)	90,00
D085	KGP CC 15W 200-350mA 50/60Hz 220-240 VAC (Phase DIM)	60,00
D096	Lunatone DALI 0% - 100% 350mA 220-240V AC 50-60Hz output 12-44V (DALI)	130,00


BUILT-IN KIT (INSTALLATION)

FA002	Flatspot threaded fastner (false ceiling)	50,00
FA003	Flatspot outer casing (false ceiling)	100,00
FA003	Flatspot outer casing (concrete ceiling)	100,00


These products contain built-in LED lamps. The lamps cannot be changed in the luminaire.

TEKNA pricelist 01-01-2024

Prices, products and/or parts can be changed without prior notice. Each order is subject to and governed solely by the terms and conditions of TEKNA. *only inside use.
 All prices are quoted in USD (\$ U.S. Dollar - VAT excl)



TRIMLESS VERSION



F001U FLATSPOT 1 TRIMLESS XOB

Trimless recessed downlighter, for false and concrete ceiling.
 Dimensions: cut out 83mm (81mm for concrete ceiling) - outside diameter 80mm - built-in height 150mm.
 To connect to external Remote LED driver (not included).
 Power supply constant current LED driver MAX 250mA 9,9W 31,6Vdc typical.
 Use: indoor (IP20) Energy class A++

Installation items must be ordered separately, they are not included.
It's possible to customize the standard included LED module with the available options.

LED module XOB 9,9W - 250mA - 2700K - CRI 95 - 750lm - light distribution 38° (included).

F001UZWTL2B	FLATSPOT 1 - TRIMLESS XOB - Black	350,00
F001UCRPL2B	FLATSPOT 1 - TRIMLESS XOB - Chrome	350,00
F001UAULL2B	FLATSPOT 1 - TRIMLESS XOB - Gold color	350,00
F001UWITL2B	FLATSPOT 1 - TRIMLESS XOB - White	350,00
F001UCTML2B	FLATSPOT 1 - TRIMLESS XOB - Custom color	400,00
F001UCOBL2B	FLATSPOT 1 - TRIMLESS XOB - brushed Copper	400,00
F001UCOLL2B	FLATSPOT 1 - TRIMLESS XOB - lacquered Copper	400,00
F001UPBBL2B	FLATSPOT 1 - TRIMLESS XOB - brushed Pecan Brown	400,00
F001UPBLL2B	FLATSPOT 1 - TRIMLESS XOB - lacquered Pecan Brown	400,00
F001UCBLL2B	FLATSPOT 1 - TRIMLESS XOB - brushed Cedar Brown	400,00
F001UCBLL2B	FLATSPOT 1 - TRIMLESS XOB - lacquered Cedar Brown	400,00
F001UCGBL2B	FLATSPOT 1 - TRIMLESS XOB - brushed Champagne Gold	400,00
F001UCGLL2B	FLATSPOT 1 - TRIMLESS XOB - lacquered Champagne Gold	400,00

OPTIONS (It's possible to customize the standard included LED module by the following options)

L2A	LED module XOB 2700K + SNAP LENS Ø50 24°
L2B	LED module XOB 2700K + SNAP LENS Ø50 38°
L3A	LED module XOB 3000K + SNAP LENS Ø50 24°
L3B	LED module XOB 3000K + SNAP LENS Ø50 38°

RECOMMENDED LED DRIVER






D013	Lumotech L05016Ci 20W max. 110-500mA 3-43V DC 110-240V AC (1-10V)	150,00
D057	TCI DC Minijolly DALI 20-20W max 250-700mA	100,00

ACCESSORIES AND SPARES

ANK1126	XOB snap on lens Ø50 12°	100,00
ANK1127	XOB snap on lens Ø50 24°	100,00
ANK1128	XOB snap on lens Ø50 38°	100,00
ANK1149	XOB snap on lens Ø50 45°	100,00
ANK1150	XOB snap on lens Ø50 60°	100,00
ANK1153	XOB snap on lens Ø50 Long beam 32.6°/31.9°	100,00
ANK1151	XOB snap on lens Ø50 Twin beam 38.9°/68.5°	100,00
ANK1152	XOB snap on lens Ø50 Wide beam 39.7°/58.6°	100,00

BUILT-IN KIT (INSTALLATION)

FA002	Flatspot threaded fastener (false ceiling)	50,00
FA003	Flatspot outer casing (false ceiling)	100,00
FA003	Flatspot outer casing (concrete ceiling)	100,00



This luminaire contain built-in LED lamps. The lamps cannot be changed in the luminaire.

TEKNA pricelist 01-01-2024

Prices, products and/or parts can be changed without prior notice. Each order is subject to and governed solely by the terms and conditions of TEKNA. *only inside use.
 All prices are quoted in USD (\$ U.S. Dollar - VAT excl.)


TRIMLESS VERSION



F003U FLATSPOT 1 TRIMLESS 12V LED

Trimless recessed downlighter, for false and concrete ceiling.
 Dimensions: cut out 83mm (81mm for concrete ceiling) - outside diameter 80mm - built-in height 150mm.
 Power supply 12V AC.
 Use: indoor (IP20) Energy class A++

Installation items must be ordered separately, they are not included.
 It's possible to customize the standard included LED module with the available options.



Soraa lamp LED 12V AC MR16 GU5,3 CRI 95 9W 3000K 450lm - light distribution 36°(included).






F003UZWTL30	FLATSPOT 1 - TRIMLESS 12V LED - Black	300,00
F003UCRPL30	FLATSPOT 1 - TRIMLESS 12V LED - Chrome	300,00
F003UAULL30	FLATSPOT 1 - TRIMLESS 12V LED - Gold colored	300,00
F003UWITL30	FLATSPOT 1 - TRIMLESS 12V LED - White	300,00
F003UCTML30	FLATSPOT 1 - TRIMLESS 12V LED - Custom color	300,00
F003UCOBL30	FLATSPOT 1 - TRIMLESS 12V LED - brushed Copper	300,00
F003UCOLL30	FLATSPOT 1 - TRIMLESS 12V LED - lacquered Copper	300,00
F003UPBBL30	FLATSPOT 1 - TRIMLESS 12V LED - brushed Pecan Brown	300,00
F003UPBLL30	FLATSPOT 1 - TRIMLESS 12V LED - lacquered Pecan Brown	300,00
F003UCBBL30	FLATSPOT 1 - TRIMLESS 12V LED - brushed Cedar Brown	300,00
F003UCBLL30	FLATSPOT 1 - TRIMLESS 12V LED - lacquered Cedar Brown	300,00
F003UCGBL30	FLATSPOT 1 - TRIMLESS 12V LED - brushed Champagne Gold	300,00
F003UCGLL30	FLATSPOT 1 - TRIMLESS 12V LED - lacquered Champagne Gold	300,00

OPTIONS (It's possible to customize the standard included LED module by the following options)

L027	Soraa LED GU5.3 MR16 Vivid 12V 9W 2700K 95 CRI 440lm 25°	150,00
L028	Soraa LED GU5.3 MR16 Vivid 12V 9W 2700K 95 CRI 425lm 36°	150,00
L029	Soraa LED GU5.3 MR16 Vivid 12V 9W 3000K 95 CRI 465lm 25°	150,00
L030	Soraa LED GU5.3 MR16 Vivid 12V 9W 3000K 95 CRI 450lm 36°	150,00



BUILT-IN KIT (INSTALLATION)

FA002	Flatspot threaded fastner (false ceiling)	50,00
FA003	Flatspot outer casing (false ceiling)	100,00
FA003	Flatspot outer casing (concrete ceiling)	100,00



This luminaire contain built-in LED lamps. The lamps cannot be changed in the luminaire.

TRIMLESS VERSION



F004U

FLATSPOT 1 TRIMLESS GU10 LED

Trimless recessed downlighter, for false and concrete ceiling.
 Dimensions: cut out 83mm (81mm for concrete ceiling) - outside diameter 80mm - built-in height 150mm.
 Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36° included
 Main power 120V AC 60Hz.
 Use: indoor (IP20)
 Energy class A++ (Phase DIM)

Installation items must be ordered separately, they are not included.
It's possible to customize the standard included LED module with the available options.

Soraa lamp GU10 230V AC LED Vivid CRI 95 9,5W 3000K 450lm - light distribution 60° (included).





F004UZWTL191	FLATSPOT 1 - TRIMLESS GU10 LED - Black	300,00
F004UCRPL191	FLATSPOT 1 - TRIMLESS GU10 LED - Chrome	300,00
F004UAULL191	FLATSPOT 1 - TRIMLESS GU10 LED - Gold color	300,00
F004UWITL191	FLATSPOT 1 - TRIMLESS GU10 LED - White	300,00
F004UCTML191	FLATSPOT 1 - TRIMLESS GU10 LED - Custom color	300,00
F004UCOBL191	FLATSPOT 1 - TRIMLESS GU10 LED - brushed Copper	300,00
F004UCOLL191	FLATSPOT 1 - TRIMLESS GU10 LED - lacquered Copper	300,00
F004UPBBL191	FLATSPOT 1 - TRIMLESS GU10 LED - brushed Pecan Brown	300,00
F004UPBLL191	FLATSPOT 1 - TRIMLESS GU10 LED - lacquered Pecan Brown	300,00
F004UCBBL191	FLATSPOT 1 - TRIMLESS GU10 LED - brushed Cedar Brown	300,00
F004UCBLL191	FLATSPOT 1 - TRIMLESS GU10 LED - lacquered Cedar Brown	300,00
F004UCGBL191	FLATSPOT 1 - TRIMLESS GU10 LED - brushed Champagne Gold	300,00
F004UCGLL191	FLATSPOT 1 - TRIMLESS GU10 LED - lacquered Champagne Gold	300,00

OPTIONS (It's possible to customize the standard included LED module by the following options)

L191	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36°	150,00
L192	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 25°	150,00

BUILT-IN KIT (INSTALLATION)


FA002	Flatspot threaded fastener (false ceiling)	50,00
FA003	Flatspot outer casing (false ceiling)	100,00
FA003	Flatspot outer casing (concrete ceiling)	100,00



TRIMLESS VERSION

Trim application: in case of non leveling ceiling surfaces.
SURFACE mounted casing possible for all Flatspot built-in.

The surface mounted casing will be painted as follows:
FLATSPOT 1 - WHITE - SURFACE mounted casing WHITE
FLATSPOT 1 - BLACK - SURFACE mounted casing BLACK
FLATSPOT 1 - GOLD COLOR- SURFACE mounted GOLD COLOR
FLATSPOT 1 - CUSTOM COLOR* only on request



F005U FLATSPOT 1 TRIM LED CITIZEN

Semi-recessed downlighter, for false and concrete ceiling.
Dimensions: cut out 83mm (81mm for concrete ceiling) - outside diameter 89mm - built-in height 150mm.
To connect to external Remote LED driver (not included).
Power supply constant current LED driver MAX 350mA and >15W.
Use: indoor (IP20) Energy class A++

It's possible to customize the standard included LED module with the available options.

Citizen LED module 10W - 300mA - 2700K - CRI 97 - 600lm - light distribution 60° (included).

F005UZWT64	FLATSPOT 1 - TRIM LED CITIZEN - Black	350,00
F005UAULL64	FLATSPOT 1 - TRIM LED CITIZEN - Gold color	350,00
F005UWITL64	FLATSPOT 1 - TRIM LED CITIZEN - White	350,00
F005UCTML64	FLATSPOT 1 - TRIM LED CITIZEN - Custm color	400,00

Citizen LED module 12W - 300mA - 3000K - CRI 97 - 810lm - 60°(included).

F005UZWT65	FLATSPOT 1 - TRIM LED CITIZEN - Black	350,00
F005UAULL65	FLATSPOT 1 - TRIM LED CITIZEN - Gold color	350,00
F005UWITL65	FLATSPOT 1 - TRIM LED CITIZEN - White	350,00
F005UCTML65	FLATSPOT 1 - TRIM LED CITIZEN - Custm color	400,00

RECOMMENDED LED DRIVER

D013	Lumotech L05016Ci 20W max. 110-500mA 3-43V DC 110-240V AC (1-10V)	150,00
D057	TCI DC Minijolly DALI 20-20W max 250-700mA	100,00


TRIMLESS VERSION



F005U FLATSPOT 1 TRIM LED XOB

Semi-recessed downlighter, for false and concrete ceiling.
 Dimensions: cut out 83mm (81mm for concrete ceiling) - outside diameter 89mm - built-in height 150mm. To connect to external Remote LED driver (not included). Power supply constant current LED driver MAX 250mA 9,9W 31,6Vdc typical.
 Use: indoor (IP20) Energy class A++

It's possible to customize the standard included LED module with the available options.



LED module XOB 9,9W - 250mA - 2700K - CRI 95 - 750lm - light distribution 38° (included).

F005ZWTL2B	FLATSPOT 1 - TRIM LED XOB - Black	350,00
F005UAULL2B	FLATSPOT 1 - TRIM LED XOB - Gold color	350,00
F005UWITL2B	FLATSPOT 1 - TRIM LED XOB - White	350,00
F005UCTML2B	FLATSPOT 1 - TRIM LED XOB - Custom color	400,00

OPTIONS (It's possible to customize the standard included LED module by the following options)

L2A	LED module XOB 2700K + SNAP LENS Ø50 24°
L2B	LED module XOB 2700K + SNAP LENS Ø50 38°
L3A	LED module XOB 3000K + SNAP LENS Ø50 24°
L3B	LED module XOB 3000K + SNAP LENS Ø50 38°

RECOMMENDED LED DRIVER

D013	Lumotech L05016Ci 20W max. 110-500mA 3-43V DC 110-240V AC (1-10V)	150,00
D057	TCI DC Minijolly DALI 20-20W max 250-700mA	100,00

ACCESSORIES AND SPARES

ANK1126	XOB snap on lens Ø50 12°	100,00
ANK1127	XOB snap on lens Ø50 24°	100,00
ANK1128	XOB snap on lens Ø50 38°	100,00
ANK1149	XOB snap on lens Ø50 45°	100,00
ANK1150	XOB snap on lens Ø50 60°	100,00
ANK1153	XOB snap on lens Ø50 Long beam 32.6°/31.9°	100,00
ANK1151	XOB snap on lens Ø50 Twin beam 38.9°/68.5°	100,00
ANK1152	XOB snap on lens Ø50 Wide beam 39.7°/58.6°	100,00


TRIMLESS VERSION



F007U FLATSPOT 1 TRIM 12V LED

Semi-recessed downlighter, for false and concrete ceiling.
 Dimensions: cut out 83mm (81mm for concrete ceiling) - outside diameter 89mm - built-in height 150mm.
 Use: indoor (IP20)

It's possible to customize the standard included LED module with the available options.



Soraa lamp LED 12V AC MR16 GU5,3 CRI 95 9W 3000K 450lm - light distribution 36°(included).

Power supply 12V AC. Energy class A++

F007UZWT30	FLATSPOT 1 - TRIM 12V LED - Black	300,00
F007UAULL30	FLATSPOT 1 - TRIM 12V LED - Gold color	300,00
F007UWITL30	FLATSPOT 1 - TRIM 12V LED - White	300,00
F007UCTML30	FLATSPOT 1 - TRIM 12V LED - Custom color	350,00

OPTIONS (It's possible to customize the standard included LED module by the following options)

L027	Soraa LED GU5.3 MR16 Vivid 12V 9W 2700K 95 CRI 440lm 25°	150,00
L028	Soraa LED GU5.3 MR16 Vivid 12V 9W 2700K 95 CRI 425lm 36°	150,00
L029	Soraa LED GU5.3 MR16 Vivid 12V 9W 3000K 95 CRI 465lm 25°	150,00
L030	Soraa LED GU5.3 MR16 Vivid 12V 9W 3000K 95 CRI 450lm 36°	150,00

TRIMLESS VERSION



F008U FLATSPOT 1 TRIM GU10 LED

Semi-recessed downlighter, for false and concrete ceiling.
 Dimensions: cut out 83mm (81mm for concrete ceiling) - outside diameter 89mm - built-in height 150mm.
Soraa lamp GU10 120V AC LED Vivid CRI 95 9,5W 3000K 450lm - light distribution 60° (included).
 Main power 120V AC 60Hz.
 Use: indoor (IP20)
 Energy class A (Phase DIM)

It's possible to customize the standard included LED module with the available options.



Soraa lamp GU10 230V AC LED Vivid CRI 95 9,5W 3000K 450lm - light distribution 60° (included).


F008UZWT160	FLATSPOT 1 - TRIM GU10 LED - Black	300,00
F008UAULL60	FLATSPOT 1 - TRIM GU10 LED - Gold color	300,00
F008UWITL60	FLATSPOT 1 - TRIM GU10 LED - White	300,00
F008UCTML60	FLATSPOT 1 - TRIM GU10 LED - Custom color	350,00



F009U FLATSPOT 2 TRIMLESS LED CITIZEN

Trimless downlighter with frosted glass, for false and concrete ceiling.
 Dimensions: cut out 83mm for plaster ceiling (81mm for concrete ceiling) - outside diameter 80mm - built-in height 150mm. To connect to external Remote LED driver (not included).
 Power supply constant current LED driver MAX 350mA and >15W.
 Use: indoor (IP40) Energy class A++

Installation items must be ordered separately, they are not included.



Citizen LED module 10W - 300mA - 2700K - CRI 97 - 600lm - light distribution 60° (included).

F009UZWT164	FLATSPOT 2 - TRIMLESS LED CITIZEN - Black frosted glass	350,00
F009UWITL64	FLATSPOT 2 - TRIMLESS LED CITIZEN - White frosted glass	350,00
F009UCTML64	FLATSPOT 2 - TRIMLESS LED CITIZEN - Custom color frosted glass	400,00

RECOMMENDED LED DRIVER

D013	Lumotech L05016Ci 20W max. 110-500mA 3-43V DC 110-240V AC (1-10V)	150,00
D057	TCI DC Minijolly DALI 20-20W max 250-700mA	100,00

Citizen LED module 10W - 300mA - 3000K - CRI 97 - 810lm - 60° (included).

F009UZWT165	FLATSPOT 2 - TRIMLESS LED CITIZEN - Black frosted glass	350,00
F009UWITL65	FLATSPOT 2 - TRIMLESS LED CITIZEN - White frosted glass	350,00
F009UCTML65	FLATSPOT 2 - TRIMLESS LED CITIZEN - Custom color frosted glass	400,00


RECOMMENDED LED DRIVER

D013	Lumotech L05016Ci 20W max. 110-500mA 3-43V DC 110-240V AC (1-10V)	150,00
D057	TCI DC Minijolly DALI 20-20W max 250-700mA	100,00

BUILT-IN KIT (INSTALLATION)

FA002	Flatspot threaded fastner (false ceiling)	50,00
FA003	Flatspot outer casing (false ceiling)	100,00
FA003	Flatspot outer casing (concrete ceiling)	100,00

TRIMLESS VERSION



F011U FLATSPOT 2 TRIMLESS 12V LED

Trimless downlighter with frosted glass, for false and concrete ceiling. Dimensions: cut out 83mm for plaster ceiling (81mm for concrete ceiling) - outside diameter 80mm - built-in height 150mm.

To connect to external transformer.

Power supply 12V DC.

Use: indoor and outdoor (IP40) Energy class A

Installation items must be ordered separately, they are not included.
It's possible to customize the standard included LED module with the available options.

Soraa lamp LED 12V AC MR16 GU5,3 CRI 95 9W 3000K 450lm - light distribution 36°(included).

Power supply 12V AC. Energy class A++


F011UZWTL30	FLATSPOT 2 - TRIMLESS 12V LED - Black frosted glass	300,00
F011UWITL30	FLATSPOT 2 - TRIMLESS 12V LED - White frosted glass	300,00
F011UCTML30	FLATSPOT 2 - TRIMLESS 12V LED - Custom color frosted glass	300,00

OPTIONS (It's possible to customize the standard included LED module by the following options)

L027	Soraa LED GU5.3 MR16 Vivid 12V 9W 2700K 95 CRI 440lm 25°	150,00
L028	Soraa LED GU5.3 MR16 Vivid 12V 9W 2700K 95 CRI 425lm 36°	150,00
L029	Soraa LED GU5.3 MR16 Vivid 12V 9W 3000K 95 CRI 465lm 25°	150,00
L030	Soraa LED GU5.3 MR16 Vivid 12V 9W 3000K 95 CRI 450lm 36°	150,00

BUILT-IN KIT (INSTALLATION)

FA002	Flatspot threaded fastner (false ceiling)	50,00
FA003	Flatspot outer casing (false ceiling)	100,00
FA003	Flatspot outer casing (concrete ceiling)	100,00



F012U FLATSPOT 2 TRIMLESS GU10 LED

Trimless downlighter with frosted glass, for false and concrete ceiling. Dimensions: cut out 83mm for plaster ceiling (81mm for concrete ceiling) - outside diameter 80mm - built-in height 150mm.

Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36° included.

Main power 120V 60Hz.

Use: indoor and outdoor (IP40)

Energy class A (Phase DIM)

Installation items must be ordered separately, they are not included.
It's possible to customize the standard included LED module with the available options.

Soraa lamp GU10 230V AC LED Vivid CRI 95 9,5W 3000K 450lm - light distribution 60° (included).

F012UZWTL63	FLATSPOT 2 - TRIMLESS GU10 LED - Black frosted glass	300,00
F012UWITL63	FLATSPOT 2 - TRIMLESS GU10 LED - White frosted glass	300,00
F012UCTML63	FLATSPOT 2 - TRIMLESS GU10 LED - Custom color frosted glass	350,00

OPTIONS (It's possible to customize the standard included LED module by the following options)

L191	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36°	150,00
L192	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 25°	150,00

BUILT-IN KIT (INSTALLATION)


FA002	Flatspot threaded fastner (false ceiling)	50,00
FA003	Flatspot outer casing (false ceiling)	100,00
FA003	Flatspot outer casing (concrete ceiling)	100,00



TRIMLESS VERSION

Trim application: in case of non leveling ceiling surfaces.
SURFACE mounted casing possible for all Flatspot built-in.

The surface mounted casing will be painted as follows:
FLATSPOT 2 - BLACK - SURFACE mounted casing BLACK
FLATSPOT 2 - WHITE - SURFACE mounted casing WHITE
FLATSPOT 2 - CUSTOM COLOR - SURFACE mounted casing CUSTOM COLOR



F013U FLATSPOT 2 TRIM CITIZEN

Semi-recessed opal frosted glass.
Dimensions: cut out 83mm (81mm for concrete ceiling) - outside diameter 89mm - built-in height 150mm.
To connect to external Remote LED driver (not included).
Power supply constant current LED driver MAX 350mA and >15W.
Use: indoor and outdoor (IP40) Energy class A++

Citizen LED module 10W - 300mA - 2700K - CRI 97 - 600lm - light distribution 60° (included).

F013UZWT64	FLATSPOT 2 - TRIM CITIZEN - Black frosted glass	400,00
F013UWIT64	FLATSPOT 2 - TRIM CITIZEN - White frosted glass	400,00
F013UCTM64	FLATSPOT 2 - TRIM CITIZEN - Custom color frosted glass	450,00

Citizen LED module 10W - 300mA - 3000K - CRI 97 - 810lm - 60° (included).

F013UZWT65	FLATSPOT 2 - TRIM CITIZEN - Black frosted glass	400,00
F013UWIT65	FLATSPOT 2 - TRIM CITIZEN - White frosted glass	400,00
F013UCTM65	FLATSPOT 2 - TRIM CITIZEN - Custom color frosted glass	450,00


RECOMMENDED LED DRIVER

D013	Lumotech L05016Ci 20W max. 110-500mA 3-43V DC 110-240V AC (1-10V)	150,00
D057	TCI DC Minijolly DALI 20-20W max 250-700mA	100,00

TRIMLESS VERSION

Trim application: in case of non leveling ceiling surfaces.
SURFACE mounted casing possible for all Flatspot built-in.

The surface mounted casing will be painted as follows:
FLATSPOT 2 - BLACK - SURFACE mounted casing BLACK
FLATSPOT 2 - WHITE - SURFACE mounted casing WHITE
FLATSPOT 2 - CUSTOM COLOR - SURFACE mounted casing CUSTOM COLOR



F015U FLATSPOT 2 TRIM 12V LED

Semi-recessed opal frosted glass. Cover with inside frosted Borofloat glass.
Dimensions: cut out 83mm (81mm for concrete ceiling) - outside diameter 89mm - built-in height 150mm.
To connect to external transformer.
Power supply 12V AC.
Use: indoor and outdoor (IP40) Energy class A

It's possible to customize the standard included LED module with the available options.


Soraa lamp LED 12V AC MR16 GU5,3 CRI 95 9W 3000K 450lm - light distribution 36°(included).

Power supply 12V AC. Energy class A++

F015UZWTL30	FLATSPOT 2 - TRIM 12V LED Black frosted glass	350,00
F015UWITL30	FLATSPOT 2 - TRIM 12V LED White frosted glass	350,00
F015UCTML30	FLATSPOT 2 - TRIM 12V LED Custom color frosted glass	400,00

OPTIONS (It's possible to customize the standard included LED module by the following options)

L027	Soraa LED GU5.3 MR16 Vivid 12V 9W 2700K 95 CRI 440lm 25°	150,00
L028	Soraa LED GU5.3 MR16 Vivid 12V 9W 2700K 95 CRI 425lm 36°	150,00
L029	Soraa LED GU5.3 MR16 Vivid 12V 9W 3000K 95 CRI 465lm 25°	150,00
L030	Soraa LED GU5.3 MR16 Vivid 12V 9W 3000K 95 CRI 450lm 36°	150,00



F016U FLATSPOT 2 TRIM GU10 LED

Semi-recessed opal frosted glass..Cover with inside frosted Borofloat glass.
Dimensions: cut out 83mm (81mm for concrete ceiling) - outside diameter 89mm - built-in height 150mm.
Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36° included.
Main power 120V - 60Hz. Use: indoor and outdoor (IP40) Energy class A

It's possible to customize the standard included LED module with the available options.

F016UZWT191	FLATSPOT 2 - TRIM GU10 LED - Black frosted glass	350,00
F016UWIT191	FLATSPOT 2 - TRIM GU10 LED - White frosted glass	350,00
F016UCTM191	FLATSPOT 2 - TRIM GU10 LED - Custom color frosted glass	400,00

OPTIONS (It's possible to customize the standard included LED module by the following options)


L191	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36°	150,00
L192	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 25°	150,00

These products contain built-in LED lamps. The lamps cannot be changed in the luminaire.


TEKNA pricelist 01-01-2024

Prices, products and/or parts can be changed without prior notice. Each order is subject to and governed solely by the terms and conditions of TEKNA. *only inside use.

This luminaire contains built-in LED lamps. The lamps cannot be changed in the luminaire.




BUILT-IN CASE
Trimless LED in lacquered white and lacquered black



Brushed Copper




Lacquered Copper




Brushed Pecan Brown



Lacquered Pecan Brown



Brushed Cedar Brown



Lacquered Cedar Brown



Brushed Champagne Gold



Lacquered Champagne Gold

F022U FLATSPOT 6 TRIMLESS XOB LED

Trimless recessed adjustable downlighter (both for installation in plasterboard as in hard ceiling). Visible deep-set tube, be at one with the ceiling edge, complete with Optic-Spot, axial adjustable from 0° to 90° - directional from 0° to 350°. Dimensions: cut out 83mm (81mm for concrete ceiling) - outside diameter 80mm - built-in height 150mm - maximum height 230mm - tube Ø 55mm - tube height 157mm. To connect to external Remote LED driver. Power supply LED U > 31,6V DC & I 250mA max. Use: indoor (IP20) - Energy class A++

Installation items must be ordered separately, they are not included.
It's possible to customize the standard included LED module with the available options.

LED module XOB 9,9W - 250mA - 3000K - CRI 95 - 750lm - light distribution 24° (included).

F022UZWTL3A	FLATSPOT 6 - TRIMLESS XOB LED - lacquered Black	450,00
F022UWITL3A	FLATSPOT 6 - TRIMLESS XOB LED - lacquered White	450,00
F022UDBRL3A	FLATSPOT 6 - TRIMLESS XOB LED - lacquered Dark bronze	450,00
F022UCTML3A	FLATSPOT 6 - TRIMLESS XOB LED - lacquered Custom color	500,00
F022UCOBL3A	FLATSPOT 6 - TRIMLESS XOB LED - brushed Copper	600,00
F022UCOLL3A	FLATSPOT 6 - TRIMLESS XOB LED - lacquered Copper	600,00
F022UPBBL3A	FLATSPOT 6 - TRIMLESS XOB LED - brushed Pecan Brown	600,00
F022UPBLL3A	FLATSPOT 6 - TRIMLESS XOB LED - lacquered Pecan Brown	600,00
F022UCBBL3A	FLATSPOT 6 - TRIMLESS XOB LED - brushed Cedar Brown	600,00
F022UCBLL3A	FLATSPOT 6 - TRIMLESS XOB LED - lacquered Cedar Brown	600,00
F022UCGBL3A	FLATSPOT 6 - TRIMLESS XOB LED - brushed Champagne Gold	600,00
F022UCGLL3A	FLATSPOT 6 - TRIMLESS XOB LED - lacquered Champagne Gold	600,00

OPTIONS (It's possible to customize the standard included LED module by the following options)

L2A	LED module XOB 2700K + SNAP LENS Ø50 24°
L2B	LED module XOB 2700K + SNAP LENS Ø50 38°
L3A	LED module XOB 3000K + SNAP LENS Ø50 24°
L3B	LED module XOB 3000K + SNAP LENS Ø50 38°

RECOMMENDED LED DRIVER

D013	Lumotech L05016Ci 20W max. 110-500mA 3-43V DC 110-240V AC (1-10V)	150,00
D057	TCI DC Minijolly DALI 20-20W max 250-700mA	100,00

ACCESSORIES AND SPARES

ANK1126	XOB snap on lens Ø50 12°	100,00
ANK1127	XOB snap on lens Ø50 24°	100,00
ANK1128	XOB snap on lens Ø50 38°	100,00
ANK1149	XOB snap on lens Ø50 45°	100,00
ANK1150	XOB snap on lens Ø50 60°	100,00
ANK1153	XOB snap on lens Ø50 Long beam 32.6°/31.9°	100,00
ANK1151	XOB snap on lens Ø50 Twin beam 38.9°/68.5°	100,00
ANK1152	XOB snap on lens Ø50 Wide beam 39.7°/58.6°	100,00

BUILT-IN KIT (INSTALLATION)

FA002	Flatspot threaded fastener (false ceiling)	50,00
FA003	Flatspot outer casing (false ceiling)	100,00
FA003	Flatspot outer casing (concrete ceiling)	100,00

These products contain built-in LED lamps. The lamps cannot be changed in the luminaire.



BUILT-IN CASE
Trimless LED in lacquered white and lacquered black

F023U FLATSPOT 6 TRIMLESS GU10 LED

Trimless recessed directional light (both for installation in plasterboard as in hard ceiling). Visible deep-set tube, flush with the ceiling, complete with spot light, axial adjustable from 0° to 90° - directional from 0° to 350°. Dimensions: cut out 83mm (81mm for concrete ceiling) - outside diameter 80mm - built-in height 150mm - maximum height 230mm - tube Ø 55mm - tube height 157mm.

Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36° included.

Main power 120V - 60Hz. Use: indoor (IP20) - Energy class A - (Phase DIM)

Installation items must be ordered separately, they are not included.

It's possible to customize the standard included LED module with the available options.





F023UZWT191	FLATSPOT 6 - TRIMLESS GU10 LED - lacquered Black	400,00
F023UWIT191	FLATSPOT 6 - TRIMLESS GU10 LED - lacquered White	400,00
F023UDBR191	FLATSPOT 6 - TRIMLESS GU10 LED - lacquered Dark bronze	400,00
F023UCTM191	FLATSPOT 6 - TRIMLESS GU10 LED - lacquered Custom color	450,00
F023UCOB191	FLATSPOT 6 - TRIMLESS GU10 LED - brushed Copper	550,00
F023UCOL191	FLATSPOT 6 - TRIMLESS GU10 LED - lacquered Copper	550,00
F023UPBB191	FLATSPOT 6 - TRIMLESS GU10 LED - brushed Pecan Brown	550,00
F023UPBL191	FLATSPOT 6 - TRIMLESS GU10 LED - lacquered Pecan Brown	550,00
F023UCBB191	FLATSPOT 6 - TRIMLESS GU10 LED - brushed Cedar Brown	550,00
F023UCBL191	FLATSPOT 6 - TRIMLESS GU10 LED - lacquered Cedar Brown	550,00
F023UCGB191	FLATSPOT 6 - TRIMLESS GU10 LED - brushed Champagne Gold	550,00
F023UCGL191	FLATSPOT 6 - TRIMLESS GU10 LED - lacquered Champagne Gold	550,00

OPTIONS (It's possible to customize the standard included LED module by the following options)

L191	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36°	150,00
L192	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 25°	150,00

BUILT-IN KIT (INSTALLATION)

FA002	Flatspot threaded fastner (false ceiling)	50,00
FA003	Flatspot outer casing (false ceiling)	100,00
FA003	Flatspot outer casing (concrete ceiling)	100,00



These products contain built-in LED lamps. The lamps cannot be changed in the luminaire.



F024U FLATSPOT 6 SURFACE MOUNTED XOB LED

Surface mounted directional light. Ceiling plate with spot light, axial adjustable from 0° to 90° - directional from 0° to 350°. Dimensions: ceiling plate Ø 75mm - height ceiling plate 15mm - maximum height 260mm - tube Ø 55mm - tube height 157mm. To connect to external Remote LED driver (not included).

Power supply LED U > 31,6V DC & I 250mA max

Energy class A++ Use: indoor (IP20)

It's possible to customize the standard included LED module with the available options.



LED module XOB 9,9W - 250mA - 3000K - CRI 95 - 750lm - light distribution 24° (included).

F024UZWTL3A	FLATSPOT 6 - SURFACE MOUNTED XOB LED - lacquered Black	450,00
F024UWITL3A	FLATSPOT 6 - SURFACE MOUNTED XOB LED - lacquered White	450,00
F024UDBRL3A	FLATSPOT 6 - SURFACE MOUNTED XOB LED - lacquered Dark bronze	450,00
F024UCTML3A	FLATSPOT 6 - SURFACE MOUNTED XOB LED - lacquered Custom color	500,00
F024COBL3A	FLATSPOT 6 - SURFACE MOUNTED XOB LED - brushed Copper	600,00
F024COLL3A	FLATSPOT 6 - SURFACE MOUNTED XOB LED - lacquered Copper	600,00
F024UPBBL3A	FLATSPOT 6 - SURFACE MOUNTED XOB LED - brushed Pecan Brown	600,00
F024UPBLL3A	FLATSPOT 6 - SURFACE MOUNTED XOB LED - lacquered Pecan Brown	600,00
F024UCBBL3A	FLATSPOT 6 - SURFACE MOUNTED XOB LED - brushed Cedar Brown	600,00
F024UCBLL3A	FLATSPOT 6 - SURFACE MOUNTED XOB LED - lacquered Cedar Brown	600,00
F024UCGBL3A	FLATSPOT 6 - SURFACE MOUNTED XOB LED - brushed Champagne Gold	600,00
F024UCGLL3A	FLATSPOT 6 - SURFACE MOUNTED XOB LED - lacquered Champagne Gold	600,00

OPTIONS (It's possible to customize the standard included LED module by the following options)

L2A	LED module XOB 2700K + SNAP LENS Ø50 24°
L2B	LED module XOB 2700K + SNAP LENS Ø50 38°
L3A	LED module XOB 3000K + SNAP LENS Ø50 24°
L3B	LED module XOB 3000K + SNAP LENS Ø50 38°

RECOMMENDED LED DRIVER

D013	Lumotech L05016Ci 20W max. 110-500mA 3-43V DC 110-240V AC (1-10V)	150,00
D057	TCI DC Minijolly DALI 20-20W max 250-700mA	100,00

ACCESSORIES AND SPARES

ANK1126	XOB snap on lens Ø50 12°	100,00
ANK1127	XOB snap on lens Ø50 24°	100,00
ANK1128	XOB snap on lens Ø50 38°	100,00
ANK1149	XOB snap on lens Ø50 45°	100,00
ANK1150	XOB snap on lens Ø50 60°	100,00
ANK1153	XOB snap on lens Ø50 Long beam 32.6°/31.9°	100,00
ANK1151	XOB snap on lens Ø50 Twin beam 38.9°/68.5°	100,00
ANK1152	XOB snap on lens Ø50 Wide beam 39.7°/58.6°	100,00

These products contain built-in LED lamps. The lamps cannot be changed in the luminaire.

TEKNA pricelist 01-01-2024

Prices, products and/or parts can be changed without prior notice. Each order is subject to and governed solely by the terms and conditions of TEKNA. *only inside use.
All prices are quoted in USD (\$ U.S. Dollar - VAT excl.)





F025U FLATSPOT 6 SURFACE MOUNTED GU10 LED

Surface mounted directional light. Ceiling plate with spot light, axial adjustable from 0° to 90° - directional from 0° to 350°. Dimensions: ceiling plate Ø 75mm - height ceiling plate 15mm - maximum height 260mm - tube Ø 55mm - tube height 157mm.
 Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36° included.
 Main power 120V - 60Hz. Use: indoor (IP20)
 Energy class A (Phase DIM)

It's possible to customize the standard included LED module with the available options.




F025UZWT191	FLATSPOT 6 - SURFACE MOUNTED GU10 - lacquered Black	400,00
F025UWIT191	FLATSPOT 6 - SURFACE MOUNTED GU10 - lacquered White	400,00
F025UDBR191	FLATSPOT 6 - SURFACE MOUNTED GU10 - lacquered Dark bronze	400,00
F025UCTM191	FLATSPOT 6 - SURFACE MOUNTED GU10 - lacquered Custom color	450,00


OPTIONS (It's possible to customize the standard included LED module by the following options)

L191	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36°	150,00
L192	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 25°	150,00

TRIMLESS VERSION




BUILT-IN CASE
Trimless LED in lacquered white and lacquered black



Brushed Copper




Lacquered Copper




Brushed Pecan Brown



Lacquered Pecan Brown



Brushed Cedar Brown



Lacquered Cedar Brown



Brushed Champagne Gold



Lacquered Champagne Gold

F028U

FLATSPOT 7 TRIMLESS XOB LED

Trimless recessed adjustable directional light (both for installation in plasterboard as in hard ceiling). Visible deep-set tube, flush with the ceiling, complete with spot light, axial adjustable from 0° to 90° - directional from 0° to 350°. Dimensions: cut out 83mm (81mm for concrete ceiling) - outside diameter 80mm - built-in height 150mm - maximum height 205mm - tube Ø 40mm - tube height 130mm. To connect to external Remote LED driver (not included). Power supply LED U > 31,6V DC & I 250mA max. Energy class A - Use: indoor (IP20)

Installation items must be ordered separately, they are not included.
It's possible to customize the standard included LED module with the available options.

LED module XOB 9,9W - 250mA - 3000K - CRI 95 - 750lm - light distribution 24° (included).

F028UZWTL3A	FLATSPOT 7 - TRIMLESS XOB LED - lacquered Black	400,00
F028UWITL3A	FLATSPOT 7 - TRIMLESS XOB LED - lacquered White	400,00
F028UDBRL3A	FLATSPOT 7 - TRIMLESS XOB LED - lacquered Dark bronze	400,00
F028UCTML3A	FLATSPOT 7 - TRIMLESS XOB LED - lacquered Custom color	450,00
F028UCOBL3A	FLATSPOT 7 - TRIMLESS XOB LED - brushed Copper	550,00
F028UCOLL3A	FLATSPOT 7 - TRIMLESS XOB LED - lacquered Copper	550,00
F028UPBBL3A	FLATSPOT 7 - TRIMLESS XOB LED - brushed Pecan Brown	550,00
F028UPBLL3A	FLATSPOT 7 - TRIMLESS XOB LED - lacquered Pecan Brown	550,00
F028UCBBL3A	FLATSPOT 7 - TRIMLESS XOB LED - brushed Cedar Brown	550,00
F028UCBLL3A	FLATSPOT 7 - TRIMLESS XOB LED - lacquered Cedar Brown	550,00
F028UCGBL3A	FLATSPOT 7 - TRIMLESS XOB LED - brushed Champagne Gold	550,00
F028UCGLL3A	FLATSPOT 7 - TRIMLESS XOB LED - lacquered Champagne Gold	550,00

OPTIONS (It's possible to customize the standard included LED module by the following options)

L2A	LED module XOB 2700K + SNAP LENS Ø50 24°
L2B	LED module XOB 2700K + SNAP LENS Ø50 38°
L3A	LED module XOB 3000K + SNAP LENS Ø50 24°
L3B	LED module XOB 3000K + SNAP LENS Ø50 38°

RECOMMENDED LED DRIVER

D013	Lumotech L05016Ci 20W max. 110-500mA 3-43V DC 110-240V AC (1-10V)	150,00
D057	TCl DC Minijolly DALI 20-20W max 250-700mA	100,00

ACCESSORIES AND SPARES

ANK1126	XOB snap on lens Ø50 12°	100,00
ANK1127	XOB snap on lens Ø50 24°	100,00
ANK1128	XOB snap on lens Ø50 38°	100,00
ANK1149	XOB snap on lens Ø50 45°	100,00
ANK1150	XOB snap on lens Ø50 60°	100,00
ANK1153	XOB snap on lens Ø50 Long beam 32.6°/31.9°	100,00
ANK1151	XOB snap on lens Ø50 Twin beam 38.9°/68.5°	100,00
ANK1152	XOB snap on lens Ø50 Wide beam 39.7°/58.6°	100,00

BUILT-IN KIT (INSTALLATION)


FA002	Flatspot threaded fastener (false ceiling)	50,00
FA003	Flatspot outer casing (false ceiling)	100,00
FA003	Flatspot outer casing (concrete ceiling)	100,00

These products contain built-in LED lamps. The lamps cannot be changed in the luminaire.

TEKNA pricelist 01-01-2024

Prices, products and/or parts can be changed without prior notice. Each order is subject to and governed solely by the terms and conditions of TEKNA. *only inside use.
All prices are quoted in USD (\$ U.S. Dollar - VAT excl.)

SURFACE MOUNTED



F030U FLATSPOT 7 SURFACE MOUNTED XOB LED

SURFACE mounted directional light. Ceiling plate with spot light, axial adjustable from 0° to 90° - directional from 0° to 350°. Dimensions: ceiling plate Ø 75mm - height ceiling plate 15mm - maximum height 235mm - tube Ø 40mm - tube height 130mm. To connect to external Remote LED driver (not included). Power supply LED U > 31,6V DC & I 250mA max
Energy class A++ Use: indoor (IP20)

It's possible to customize the standard included LED module with the available options.

LED module XOB 9,9W - 250mA - 3000K - CRI 95 - 750lm - light distribution 24° (included).

F030UZWTL3A	FLATSPOT 7 - SURFACE MOUNTED XOB LED - lacquered Black	400,00
F030UWITL3A	FLATSPOT 7 - SURFACE MOUNTED XOB LED - lacquered White	400,00
F030UDBRL3A	FLATSPOT 7 - SURFACE MOUNTED XOB LED - lacquered Dark bronze	400,00
F030UCTML3A	FLATSPOT 7 - SURFACE MOUNTED XOB LED - lacquered Custom color	450,00
F30UCOBL3A	FLATSPOT 7 - SURFACE MOUNTED XOB LED - brushed Copper	550,00
F30UCOLL3A	FLATSPOT 7 - SURFACE MOUNTED XOB LED - lacquered Copper	550,00
F30UPBBL3A	FLATSPOT 7 - SURFACE MOUNTED XOB LED - brushed Pecan Brown	550,00
F30UPBLL3A	FLATSPOT 7 - SURFACE MOUNTED XOB LED - lacquered Pecan Brown	550,00
F30UCBBL3A	FLATSPOT 7 - SURFACE MOUNTED XOB LED - brushed Cedar Brown	550,00
F30UCBLL3A	FLATSPOT 7 - SURFACE MOUNTED XOB LED - lacquered Cedar Brown	550,00
F30UCGBL3A	FLATSPOT 7 - SURFACE MOUNTED XOB LED - brushed Champagne Gold	550,00
F30UCGLL3A	FLATSPOT 7 - SURFACE MOUNTED XOB LED - lacquered Champagne Gold	550,00

OPTIONS (It's possible to customize the standard included LED module by the following options)




L2A	LED module XOB 2700K + SNAP LENS Ø50 24°
L2B	LED module XOB 2700K + SNAP LENS Ø50 38°
L3A	LED module XOB 3000K + SNAP LENS Ø50 24°
L3B	LED module XOB 3000K + SNAP LENS Ø50 38°

RECOMMENDED LED DRIVER

D013	Lumotech L05016Ci 20W max. 110-500mA 3-43V DC 110-240V AC (1-10V)	150,00
D057	TCl DC Minijolly DALI 20-20W max 250-700mA	100,00

ACCESSORIES AND SPARES

ANK1126	XOB snap on lens Ø50 12°	100,00
ANK1127	XOB snap on lens Ø50 24°	100,00
ANK1128	XOB snap on lens Ø50 38°	100,00
ANK1149	XOB snap on lens Ø50 45°	100,00
ANK1150	XOB snap on lens Ø50 60°	100,00
ANK1153	XOB snap on lens Ø50 Long beam 32.6°/31.9°	100,00
ANK1151	XOB snap on lens Ø50 Twin beam 38.9°/68.5°	100,00
ANK1152	XOB snap on lens Ø50 Wide beam 39.7°/58.6°	100,00



These products contain built-in LED lamps. The lamps cannot be changed in the luminaire.

TEKNA pricelist 01-01-2024

Prices, products and/or parts can be changed without prior notice. Each order is subject to and governed solely by the terms and conditions of TEKNA. *only inside use.
All prices are quoted in USD (\$ U.S. Dollar - VAT excl.)

ACCESSORIES AND SPARES

LAMPS


L027	Soraa LED GU5.3 MR16 Vivid 12V 9W 2700K 95 CRI 440lm 25°	150,00
L028	Soraa LED GU5.3 MR16 Vivid 12V 9W 2700K 95 CRI 425lm 36°	150,00
L029	Soraa LED GU5.3 MR16 Vivid 12V 9W 3000K 95 CRI 465lm 25°	150,00
L030	Soraa LED GU5.3 MR16 Vivid 12V 9W 3000K 95 CRI 450lm 36°	150,00
L191	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 36°	150,00
L192	Soraa LED GU10 vivid 120V 9W 3000K 95CRI 490lm 25°	150,00

LAMP ACCESSORIES FLATSPOT


FA001ZWT	Screen for FLATSPOT 3 - Black	100,00
FA001WIT	Screen for FLATSPOT 3 - White	100,00
FA001CTM	Screen for FLATSPOT 3 - Custom color	150,00

BUILT-IN KIT FOR TRIMLESS

	<u>For false ceiling</u>	
FA002	Flatspot threaded fastner	50,00
FA003	Flatspot outer casing	100,00



	<u>For concrete ceiling</u>	
FA003	Flatspot outer casing	100,00



ANK1159	Cleaning Kit	150,00
ANK1162	Sample Box	500,00



TEKNA pricelist 01-01-2024

Prices, products and/or parts can be changed without prior notice. Each order is subject to and governed solely by the terms and conditions of TEKNA. *only inside use.
All prices are quoted in USD (\$ U.S. Dollar - VAT excl.)

TEKNA X GIOBAGNARA - Pricelist 01.01.2022.

All prices are unit prices, exclusive VAT, ex works.

Prices, products and/or parts can be changed without prior notice.

Each order is subject to and governed solely by the terms and conditions of Tekna.

Please be aware that the photos used are indicative and may differ from the final product.

TEKNA - Stokkelaar 13, B-9160 Lokeren, Belgium - T. +32 9 348 08 02 - E. sales@tekna.be - www.tekna.be



@TEKNA.BE

TEKNA pricelist 01-01-2024

Prices, products and/or parts can be changed without prior notice. Each order is subject to and governed solely by the terms and conditions of TEKNA. *only inside use.
All prices are quoted in USD (\$ U.S. Dollar - VAT excl.)

Clause 1. Scope of application

Unless otherwise agreed in writing, these general terms and conditions shall apply to each offer of, and each agreement with Tekna, and shall form an integral part of the same. No purchase terms and conditions of the customer shall be binding to Tekna, even if Tekna has not expressly rejected the same. Deviations from these general terms and conditions shall only come into force after Tekna expressly confirms the same in writing.

Clause 2. Offers and acceptance of orders

All price quotations or proposals shall be valid for a period of 1 month and shall be free of any commitment on the part of Tekna. An agreement shall only be formed after the customer accepts the order in writing, and after Tekna also confirms the order placed in writing. Tekna shall also have the right, to be exercised at its discretion, to demand the prior payment of an advance. In such case, a pro forma invoice shall be issued, and the order shall only become definitive after such pro forma invoice is paid in full. Until an offer is accepted, Tekna reserves the right to revoke or alter its offer at any time. In case of cancellation of the order, Tekna reserves the right to charge cancellation costs.

Clause 3. Delivery terms and conditions

The responsibility and the risk relating to the products shall pass to the customer as soon as the agreement is concluded, and insofar as it relates to different types of products, as soon as the same are individually identified. However, the products shall remain the property of Tekna until the time of full payment of the price and related outstandings (see: Clause 11). Unless otherwise agreed to the contrary in writing, Tekna shall always supply the products to the customer on "Ex-Works" (EXW) basis. They shall be transported at the customer's cost, risk and danger, even if it is agreed that Tekna shall be responsible for transport. The customer is bound, before taking delivery of the products, to inspect them to check the number of units delivered and that they are in a good condition, and also to duly notify the appropriate reservations if any to the carrier. The customer shall also notify remarks if any to Tekna in writing (email), no later than within eight days after delivery.

Clause 4. Execution and delivery periods

The agreed execution or delivery periods are only indicative. These periods shall be respected to the extent possible. If the agreed execution or delivery periods are exceeded however, this fact shall not constitute a ground to terminate the agreement and/or make Tekna liable to pay any damage compensation to the customer. If the customer fails to notify necessary information, or to do so in time, or such information is not consistent with reality, the proposed estimated execution or delivery periods shall be automatically extended by a reasonable period. The same shall apply to changes in the order.

Clause 5. Installation

The products may only be installed by an approved and registered installer. Tekna shall not accept any complaint whatsoever if the customer is unable to prove that the products were installed by an approved and registered installer.

Clause 6. Rejection of products and breach of contract by customer

If in spite of being served a notice of default, the customer rejects the agreed products, or fails to fulfil its payment obligations, Tekna may, through a registered letter to the customer, terminate the agreement to the detriment of the customer. If after partial delivery or execution of the contract has already taken place, the customer refuses to accept further delivery or execution, or makes the same impossible, Tekna, provided it sends a registered letter to the customer, may opt to raise an invoice for the executed part of the delivery, and to terminate the agreement by operation of law, to the detriment of the customer, in respect of the part not delivered. Without prejudice to the right of Tekna to demand a higher compensation for the damage that can be proved by it, the customer shall be liable to pay damage compensation in case of the termination of the agreement, the minimum amount of

which, taking into account the potential damage, is fixed at 25% of the price exclusive of VAT on a lump sum basis, or, wherever applicable, the price of the part remaining to be delivered, exclusive of VAT. Advances already paid or additional payments, shall be charged in the following order: (1) on the damage suffered by Tekna, and (2) the accrued interest, (3) the costs incurred, and (4) the invoices still outstanding. Tekna shall, wherever applicable, have the right to fully or partially suspend the further execution of the related agreement, as well as other agreements for the same customer. The customer shall also be notified concerning the same by registered letter. In case the customer is a consumer, the latter shall have the right to an equivalent compensation if Tekna fails to fulfil its contractual obligations.

Clause 7. Return of goods

In no case, Tekna can be obliged to take back goods which have been ordered wrongly by the client. In case Tekna does (e.g. for commercial reasons), it reserves the right to credit these goods only partially, according to its own appreciation. Charges and the risk for return of the goods will be borne by the client.

Clause 8. Defects and complaints

At the time of delivery, the customer shall immediately examine whether the products delivered contain visible defects or damage, and are in conformity with what was ordered. Problems shall be notified to Tekna, on pain of inadmissibility of the complaint, in writing (email) and no later than 8 days after delivery. Complaints on the grounds of hidden defects shall be notified to Tekna, on pain of inadmissibility of the complaint, in writing (email) and no later than 8 days after the discovery of the defect has become possible. In any case, no complaints shall be accepted if the products delivered have already been processed, incorporated into other products, or resold, or if the products were installed by an unregistered installer without approval. If a complaint is accepted, the products shall either be repaired or replaced, entirely at the discretion of Tekna. The repair and/or replacement shall never constitute ground for any claim for damage compensation. No goods may be returned without the written consent of Tekna, and the grant of such consent shall in no case constitute recognition of liability by Tekna. The goods shall be returned at the cost and risk of the customer. A complaint shall never relieve the customer of the obligation to pay the amounts of the invoices on the dates specified in the agreement, according to the terms and conditions laid down in the agreement. A complaint, even if well-founded, shall also not authorise the customer to refuse to execute the agreement in relation to products that do not form part of the subject of the complaint.

Clause 9. Limitation of liability

For the application of this clause, "indirect damage" shall mean: consequential damage, fire damage, loss of profits, financial or commercial losses, loss of savings, increase in general costs, increased personnel costs, loss of goodwill, damage due to business interruption, damage as a consequence of claims of customers, damage due to disruption of schedules and loss of clientele, etc. For the application of this clause, "direct damage" shall mean: all the amounts paid to Tekna. Tekna cannot be held liable for direct or indirect damage, if such damage was caused through external factors or by force majeure (such as for example, storm damage). In addition, Tekna cannot, under any circumstances, be held liable for the oxidation and/or color change of armatures, if such oxidation and/or color change is peculiar to the material used. In case of wrong or faulty installation, or installation by an installer without approval, Tekna may not be held liable for possible direct or indirect damage, under any circumstances. Tekna may also not under any circumstances be held liable for any direct or indirect damage in case of wrong use, for example, use in combination with other materials or metals (which may cause electrolysis). In addition, Tekna may not under any circumstances be held liable for any direct or indirect damage as a consequence of a delivered product if the product was altered or repaired by the customer or by a third party. Except in case of wilful fault or fraud, the total possible liability of Tekna, due to a culpable shortcoming, whether contractual or extracontractual, shall in

all cases be limited to compensation of the direct damage, subject to a maximum amount of the price (exclusive of VAT) actually invoiced, that is effective for that defective product, multiplied by a factor of 10. In no case shall the total liability of Tekna for direct damage, on any grounds whatsoever, exceed €500,00. The liability of Tekna for indirect damage is expressly excluded. The liability of Tekna due to damage, destruction or loss of data or documents, is also expressly excluded. If applicable law does not accept the aforesaid limitation of liability, the liability of Tekna shall be limited to the strict minimum permissible under the law. Liability claims if any of the customer against Tekna shall always have to be filed within one year, counting from the date of delivery of the concerned product that has given rise to the claim. No further liability claim may be made after the expiry of one year.

Clause 10. Intellectual property rights

All intellectual property rights relating to products developed or supplied by Tekna, and related preparatory material or other materials such as analyses, designs, detailed drawings, calculations, illustrations, documentation, reports, offers, models and prototypes shall exclusively belong to Tekna, irrespective of whether these intellectual property rights were registered or filed. Insofar as such right is only acquired through filing, registration or patent, Tekna shall have exclusive right over the same.

Clause 11. Price and payment

Unless otherwise agreed to the contrary in writing, all prices quoted by Tekna are expressed in U.S. Dollar, and shall apply exclusive of costs, taxes and expenses. The invoices shall be paid in the agreed currency unit. If due to circumstances beyond the control of Tekna, there is an increase in specific costs that influence the agreed price, for example increases in the duties and taxes on the products to be delivered, increases in freight rates, increases in the prices of basic commodities or raw materials, increases in wages as a consequence of provisions of the law or national or sectoral collective labor agreements, changes in the exchange rate, etc., Tekna shall have the right to charge a proportionate increase after issuing a simple notification. A deviation from the agreed prices is also possible in the following cases, a non-exhaustive list of which is provided below: (1) where specific factual data provided by the customer no longer correspond to actual reality, (2) in case of material errors, calculation errors or wrong entries in our price calculation, and (3) in case of changes in the initial order. All invoices shall be payable at the registered office of Tekna. The invoices are payable in cash. All costs shall be borne by the customer. If payment is made by bank transfer, exchange or in any other manner, this cannot be regarded as a waiver of this provision and shall not constitute any novation. All complaints or remarks concerning an invoice shall be made within 8 days after the invoice date in writing (email) with a statement of the reasons for the same, failing which the right to do the same shall lapse. If the faith of Tekna in the creditworthiness of the customer is undermined due to acts of judicial enforcement against the customer and/or there are other demonstrable events that undermine Tekna's faith that the customer can properly fulfil the commitments undertaken by the customer and/or in case such faith becomes impossible, Tekna reserves the right to cancel the entire order or a part thereof, and to demand appropriate guarantees from the customer. If the customer declines to pursue the same, Tekna reserves to itself the right to cancel the entire order or a part thereof. In that case, the customer shall be bound to pay damage compensation as laid down in Clause 6 of these general terms and conditions. In case of full or partial non-payment on the due date, interest at the rate of 12% shall be charged on the outstanding invoices, by operation of law and without the need to issue a prior notice of default, and 10% of the invoice amount shall be added to the outstanding balance, subject to a minimum of €125.00 and a maximum of €2,500.00 even if a grace period is allowed. In case the customer is a consumer, the latter shall have the right to an equivalent compensation if Tekna fails to fulfil its contractual obligations. Partial payments shall always be accepted with full reservations and without any prejudicial acknowledgements and shall be applied, in the following order of priority, first to the (judicial) costs incurred, then to the interest that is payable, and

then to the damage compensation, and finally to the principal sum. The non-payment of even a single invoice on the due date shall render the outstanding balance on all other invoices, including expired invoices, immediately payable, by operation of law.

Clause 12. Right of retention of title

The products delivered by Tekna to the customer shall remain its property until all the amounts payable by the customer, including interest and costs, are duly paid. As long as the products have not been paid in full, the customer is prohibited to process, sell, to pledge or in any other manner to use the same as security.

Clause 13. Extraneous cause

In case of "extraneous cause" (Section 1147 of the Civil Code) even if it does not lead to permanent and/or absolute impossibility of execution of the contract, Tekna shall have the right, by operation of law, to suspend its obligations or to unilaterally terminate the same after notifying the customer concerning the same. Consequently, Tekna may in no case be bound to pay any damage compensation. The following, among others, may conventionally be regarded as extraneous causes: war, strike or lockout, exceptional shortages of raw materials or merchandise, weather conditions, fire, natural and/or other disasters, governmental decisions that affect the execution of obligations, insofar as such extraneous cause occurs to the detriment of Tekna or that of our suppliers or contractors if any.

Clause 14. Applicable law and jurisdiction clause

The relationship between Tekna and the customer is subject to and shall be construed in accordance with Belgian law, to the exclusion of any other choice of law, and with the exclusion of the Vienna Sales Convention ("United Nations Convention on Contracts for the International Sale of Goods" of 1980). In case of disputes, the Belgian courts of the judicial district of Dendermonde and of the canton of Lokeren shall have exclusive jurisdiction. Tekna shall also have the right to place disputes if any before the court that has jurisdiction as per Section 624 of the Judicial Code.

Clause 15. Independence of the clauses

If it is found that one or more clauses cannot be enforced against the customer in whole or in part, the other provisions contained in the present terms and conditions shall continue in force without any reduction.